2007.0045

Student Technology Fee Funding Request Form Surplus Funds for Fiscal Year 2006-07 Northwestern State University of Louisiana

This document will not be accepted without complete information, detailed budget, specifications of each piece of equipment requested and pricing.

Prepared by: Jacob Mitchell & Mark Daniels For: Music Dept. College: (realised Performing Arts Campus: Natchitectes Department: Liberal Arts ((A DA) Where will requested equipment be located/installed/housed: Bldg. 254 Room 122 Are property policies and procedures in place by the department for equipment requested. Delivery to the Student Technology office located in Watson Library, Room 113. Date ____ 1. Describe target audience. Bandmembers, conducting Students, Woodwind Brass methods, Marching band techiques) and studio classes. 2. Describe project/initiative for which you are requesting funds. Bandmembers, will allow them the chance to experise with vieleo's and cometing Mistakes made during performance. Conduction Students, will give then the chance to see has other conductors do different patterns. Give a chance to penductor a major orchestra or symptony recording. Woodwind / Bruss netterly, Give Hem a chence to see the proper every of holding, playing, and feaching a certain instrument. 3. State measurable objectives that will be used to determine the impact/effectiveness of the project. We look to accomplish that the CAPA Students are better prepare and have more experiences when ready to conduct a band or orchestra. 4. Indicate how each project objective will be evaluated. Make a survey for the CIAPA Students asking how have this quipment helped you

in your field of work.

1 m 1

5. Provide a justification for funding of the project. Estimate the number of students that will be served per academic year and in what ways. Please indicate also any unique needs of the target group.

1

Bandminhers = 325 Jazz Band = 25 Basketball Band = 25 Orchestra = 60 Conducting class = 10 per senster Brass/woodwind class = 20 por sen. Conducting class - will have a chance to conduct a full band, with pre-record music. Bandmanbers - will have the chance to fix mistakes reade in half-time shows and during parades. Jazz Bandy will get the chance to find out dow to play in more different Styles 6. If funded, which NSTEP (http://www.nsula.edu/nstep/NSTEP.pdf) objective will this funding of this project advance. How will funding of the project advance the University and College / unit technology plan? 1) To improve access to technology by shalents, faculty, and staff at NSU. 2) TO provide classrooms with updated fechnology and multimedia. (5) To upgrade and maintain the campus communication network and infrastructure. (b) to provide a system for maintenance, upgreale, user training, and support of technology that will ectend into the furture. Objective 3 - Action Plans · Upgrade laboratory classrooms (hardware, withware). · Provide laboratory fectorichas 7. List those individuals who will be responsible for the implementation of the project/initiative and indicate their demonstrated abilities to accomplish the objectives of the project. Directors of Bands, Administrators, and the Brothurs of Kappa Kappa Bil President) (Exer. V.P) (Treasurer)

Z

8. Describe any personnel (technical or otherwise) required to support the project/initiative. Techicians for insulation 9. Provide a schedule for implementation and evaluation. We would like implementation as soon as possible, to that me can better serve the students in Fall 2007. The evaluation will occur at the end of the senser by the students of the (APA department. It will be given during the alsu, CAPA evaluations. Estimate the expected life of hardware and software. Explain any anticipated equipment/software 10. upgrades during the next five years. The handware and sufficience expected life will be well beyound 20 yrs, N/A 11. Explain in detail a plan and policy that will be in place to ensure property security/controls for any equipment received through Student Tech Fee. There will be a tocking cabinet and only the directus will have a Reys, Only the directors have keys to get into the build where the equipment bould be set-up.

12. Attach a detailed budget, including: specs., description, cost, state contract number, and vendor for each item; cost of outside support personnel; and a description of how the proposal will support University/College/unit resources (i.e., cash match, funds from other sources, or reallocation of existing hardware/software or other equipment. All of the information requested must be attached or the request will not be accepted.

A. . . .

13. Attach a letter of support for the project signed by the requesting unit's Dean, the appropriate Vice President (for non-academic units), or the SGA President from the requesting campus (for student requests).



Mrs. H. D. Dear, Sr. and Alice E. Dear School of Creative and Performing Arts Music (318) 357-4522 Art (318) 357-4483 Theatre (318) 357-5744 FAX (318) 357-5906

á

To:	Jennifer Long,
	Student Technology Fee Grant Coordinator
From:	Bill Brent R: R
	Director, School of Creative and Performing Arts
Date:	April 11, 2007
RE:	Grant Request prepared by Kappa Kappa Psi, Theta Nu Chapter

NORTHWESTERN STATE

UNIVERSITY OF LOUISIANA

Natchitoches, LA 71497

Theta Nu Chapter of Kappa Kappa Psi is submitting a grant to be funded through Student Technology Fee Grants. Please consider this letter my endorsement of the grant application.

The NSU Band Room is used by numerous classes as well as the primary rehearsal hall for the University Bands. Approximately 400 students use the band room three times a week during each semester.

The grant, if funded, will provide much needed technology equipment for the NSU Band Room. At the present time, there is no equipment in the NSU Band Room that will allow us to play back recordings of either marching band or concert band performances. Once the equipment is installed, we will be able to utilize this as a teaching tool to enhance the performances of the band in both concert and marching seasons.

In addition, the equipment will be utilized for instruction in conducting classes, instrumental technique classes and the marching band technique classes for students to view and/or hear their assignments or other appropriate educational subject matter.

Thank you for your consideration and feel free to contact me with any questions concerning this.



Office of the Dean

Graduate Studies and Research

Telephone (318) 357-5851 FAX (318) 357-5019 E-mail: grad_school@nsula.edu www.nsula.edu/graduate_studies/

Northwestern State University Natchitoches, Louisiana 71497

, i

A Member of the University of Louisiana System

April 11, 2007

TO WHOM IT MAY CONCERN:

Please consider this a letter of endorsement for the Student Technology Grant that is being submitted by the Theta Nu Chapter of Kappa Kappa Psi that will provide technology equipment for the NSU Band Room. This will greatly enhance the use of that facility.

Thank you for your consideration.

Sincerely,

Steretto

Steven G. Horton, Dean S Graduate Studies and Research Associate Provost

Xtreme Sound System



Wireless Portable PA System 6 YEAR WARRANTY!!

AC Powered System 130 Watts

Xtreme is available in UHF with three built-in Anchor Wireless UHF Receivers. An additional three wireless receivers can be added with an optional outboard unit. Xtreme is an AC powered sound system that delivers 123dB of crystal clear speech projection - that's louder than a rock & roll band! This is great for soloists or playing recorded music as you learn your marching drills. It incudes a Portable CD player, a wireless microphone and bass and treble controls.

XBP- 6000 Xtreme Basic Package audiences up to 2,500 people Includes:

- Xtreme with built in wireless receiver (XTR-6000CU1)
- Heavy duty speaker stand (SS-550)
- Choice of Wireless Microphone:
 - Handheld wireless microphone (WH-6000), or Anchor bodypack transmitter (WB-6000) and headband mic (HBM-60 and collar mic (CM-60) or lapel mic (LM-60)

List Price \$2074 Educational Price \$1659

XDP-6000 Xtreme Deluxe Package -

audiences up to 5,000 people. Includes:

- Xtreme with built in wireless receiver (XTR-6000CU2)
- Xtreme Companion Speaker (XTR-6001)
- 50' Speaker Cable (SC-50NL)
- Two Heavy duty speaker stands (SS-550)
- Choice of Wireless Microphone:

Handheld wireless microphone (WH-6000), or Anchor bodypack transmitter (WB-6000) and headband mic (HBM-60 and collar mic (CM-60) or lapel mic (LM-60)

List Price \$2603

Educational Price \$2086

LBP-6000 Liberty Basic Package Crowds up to 1000 People Liberty w/ Wireless Receiver/ built-in CD player

Handheld Microphone, Speaker Stand

List Price \$2268

Educational Price \$1814

LDP-6000 Liberty Deluxe Package

Same as above, but includes: Companion Speaker, 2 Speaker Stands and 50' Audio Cable List Price \$2700

Educational Price \$2193

The Piranha

Wireless 2 Channel Battery or AC PA system, with <u>200</u> watts of *POWER!!*

. The best-sounding, most powerful portable P.A. system on the market.

 Absolutely unequaled in its ability to combine peak power and excellent voice and music clarity.

Handles groups of 100 people up to crowds of 4,000.

• True AC operation when plugged into an outlet means the built-in battery is not used and continues to be charged when the unit is in use. Other sound systems continue to use the battery while the unit is plugged in, not allowing the battery to charge or retain its charge while in use.

• The UHF True Diversity wireless microphone systems ensure the highest signal strength with less dropout and interference than VHF.

Built-in CD player with Shockmount reduces skipping caused by vibrations produced during high volume playback.

• Five (5) inputs and three (3) outputs allow the Piranha to be the most flexible and versatile portable sound system available for producing, recording and mixing sound.

• 3-year limited warranty on unit, 1-year on battery and CD player.

• Manufactured exclusively to serve the marching band industry.

Unit includes: 2 wireless channels, 2 body-pack transmitters, 2 microphones (your choice of 2 headset, 2 lapel or 1 of each), CD player with Shockmount and a battery charger.

PRICE \$2975 + shipping (38 lbs.) Speaker Stand \$140

Pignose Lil' PA

- Powerful 20 Watt internal amplifier
- AC and/or battery powered
- Plug in AC adapter stores in case
- Includes 9 "C"
- Batteries
 5.25" Full range
- Speaker • Excellent range.

Can be heard up to 1/2 mile away under the right conditions

Includes Shoulder Strap

Price \$159 Includes plug in microphone, shoulder strap, AC adapter, and 9 "C" batteries

Convert your Pignose to a WIRELESS PA system for only \$70, Includes: Headset and Clip-on Lavalier Wireless Microphones and Belt Pack Transmitter



Liberty Sound System
Battery Powered Portable Sound
System 6 YEAR WARRANTY!!
• True AC/DC 110/220 Power Supply
• 50 Watts of Power
• Two Universal Mic Input Jacks
• Weather Resistant Speaker Cone

• Weather Resistant Speaker Cone

- Built -in CD and UHF Wireless Receiver Option -16 User Selectable Channels
- Bass and Treble Controls
- Battery Powered Sound
 Sustem Operator 4 6 hours
- System Operates 4-6 hours on a single charge
- Weight 44 lbs



The Long Ranger 4 includes a professional quality VHF wireless microphone system with up to 750 feet of operating range due. A highly sensitive receiver and fullpower transmitters provide extended range and solid reliability. Two belt-pack transmitters are available with the system which are compatible with all Lectrosonics headset and lavalier microphones. A plug-on transmitter for microphones with XLR connectors is also available to allow the use of a wide variety of hand-held microphones.

The Long Ranger was designed with versatility in mind. A second wireless microphone system can be added to allow two people to use the system simultaneously. The optional add-on receiver mounts on the rear panel and operates from the Long Ranger internal battery pack via the 12 Volt DC OUT jack on the control panel. A high current battery charger also serves as an AC power supply for use with 100-240 VAC power outlets.

The amplifier produces a full 33 Watts RMS with low distortion into the 6 Ohm speaker. This power, together with a highly efficient horn loudspeaker produces enough audio output to cover an area the size of a football field. The amplifier is powered by a single 12 Volt, 7.2 amp-hour rechargeable gel-cell battery mounted between the speaker and circuitry housing.

Our Low Price \$1347. (Retail price \$1830)

Add a second wireless channel to a Long Ranger 2,3 or 4 for only \$561 (retail price \$770) Save \$209 Includes: LR 175 receiver, M175 transmitter, & HM 142V headset Microphone. Two persons can use the Long Ranger at the same time with the additional channel.

TO ORDER: CALL TOLL FREE 1-800-727-7889 or FAX: 972-429-6353

13

HM162V (Over the ear type - Adjustable mic. boom

and neckband for comfortable fit over the ears and

M175 Belt-pack (aluminum case, 12-15 hours of

with a mute toggle switch for noiseless audio

M175LS Belt-pack (same as M175 transmitter, but

neck)...\$185

Transmitters:

battery life)... \$305

muting)....\$315

MIDI CONTROLLERS

Input music, trigger computer sounds or other MIDI devices

M-Audio O2 USB MIDI Controller



Small enough to fit in a bag along with your laptop, the ultra-thin slim-line M-Audio O2 is perfect anywhere, anytime. One simple USB connection provides a MIDI interface and bus power source. Class compliancy with Windows XP and Mac OS X means no drivers to install.

- 25 full-size, velocity-sensitive keys
- 8 assignable knobs, 8 assignable buttons Modulation and pitch bend; pedal input
- Powered via USB or 9VDC adapter **Includes Ableton Live Lite 4 music** production software

2006007 M-Audio O2.....\$99.00 SAVE \$20 on 10 or more!

Yamaha WX5 Wind MIDI Controller

The Yamaha WX5 Wind MIDI Controller takes wind MIDI control to new levels of performance and playability. With precise, responsive wind and lip sensors, a choice of single-reed or recorder type mouthpieces, and a range of fingering modes, the WX5 makes expressive wind control more accessible than ever before. The WX5 gives experienced wind players a new medium and vastly expanded sonic possibilities in a familiar format, yet extremely playable enough for beginners.

Yamaha VL70M Virtual Acoustic Tone Generator

The perfect match for the WX5 controller is the Yamaha VL70M Virtual Acoustic Tone Generator. Unique to Yamaha,

the VL70M uses computer-based "physical modeling" technology, which accurately simulates the complex vibrations, resonances, reflections and other acoustic phenomena that occur in real wind or string instrumentsto produce high quality monophonic voices. It also provides AC power for the WX5 controller.

Yamaha WX5 Hard Shell Case

Designed specifically for the WX5 Wind MIDI controller, this durable hardshell case will protect your wind controller while sporting an impressive professional look includes compartments to tote the essential accessories as well - power adapter, extra mouthpiece, cables and straps.

2037900 Yamaha WX5 \$599.95

	Oxygen	8 v2	USB	MIDI	Contr	ollei
--	--------	------	-----	------	-------	-------

The Oxygen 8 v2 is an updated version of the mobile MIDI controller that started the mobile studio revolution. New features include full MIDI message support, plus 6 transport controls that can be reassigned to any MIDI parameter. The Oxygen 8 v2 also offers 10 non-volatile memory locations and is compatible with FREE Enigma software for computer-based storage, retrieval and management of an unlimited number of patches.

- 25-note velocity-sensitive synth-action keyboard with USB interface 8 fully assignable MIDI controller knobs
- 6 transport buttons; LCD display; 5 dedicated function buttons Assignable pitch bend and modulation wheels

- Powered via USB or optional power supply Includes Ableton Live Lite 4 music production software
- 2006008 Oxygen 8 v2

Save \$20 on 10 or more!

M-Audio MidAir Wireless MIDI

Controller

We live in a wireless world—and now your keyboard controller can be wireless too. Available in two sizes, you get all the functionality of the legendary Oxygen 8, complete with 25 or 37 velocity-sensitive keys, eight MIDI-assignable knobs, mod and pitch bend wheels, assignable sustain button, three-digit LED display and more.

- 25-key or 37-key velocity-sensitive wireless keyboard 8 MIDI-assignable knobs to wirelessly tweak controllers MidAir 37 features 9 additional faders

- USB 1.1 and MIDI in/out ports on receiver to control software or traditional MIDI instruments
- Powered via 9V DC power adapter or batteries
- Class-compliant with Windows XP and Mac OS X, no drivers needed

2006002 MidAir 25.....\$199.00 2006003 MidAir 37..... \$249.00

M-Audio KeyRig 49 USB MIDI Controller

- 49-note synth-action keyboard professional feel and response
- USB 2.0 and USB 1.1 compatible
- **Includes Ableton Live Lite**
- Includes KeyRig software to play pianos, synths, organ and more Includes pitch and mod wheels,
- an assignable volume slider, octave +/- buttons and sustain pedal input Instant installation on Mac OS X and Windows XP computers

- M-Audio Keystation USB MIDI Controllers
- Full-size, velocity-sensitive keyboards with semi-weighted action
- Pitch bend and modulation wheels
- Volume/control slider
- Advanced function button for
- programming
- Sustain foot pedal input Octave +/- buttons to
- extend keyboard range Separate MIDI out jack routes MIDI signals from your computer to control external devices
- Powered via USB or **9VDC** power adapter
- (not included)
- Functions as a standalone USB MIDI interface

50

- Class-compliant with OS X and Windows XP for plug-and-play
- Includes Ableton Live Lite 4 music production software
- 2006047 Keystation 88es\$199.00 Save \$40.00 each on 10 or more!
- 2037901 Hard Shell Case\$109.95 2006046 Keystation 61es\$169.00 2037970 VL70M Tone Generator . \$599.95 Save \$34.00 each on 10 or more!



11111

.\$119.00

USB

 $\times ($

AUDIO AND MIDI INTERFACES

Connect keyboards and other MIDI and audio gear to any computer

Yamaha UX16 USB MIDI Interface



A simple and compact USB MIDI Interface that works with both Macintosh and Windows USB-equipped computers. Supports up to 16 MIDI channels with one MIDI in and one MIDI out port. The 24" USB cable and 50" MIDI cables make it easy to reach your gear. Built-in LED indicators show power and activity for MIDI In/Out for easy operation. It operates on USB power and does not need an external power adapter. Cables and drivers are provided.

2037255 \$39.95

Midisport USB Uno MIDI Interface

The USB Uno offers basic 1 x 1 operation and bus-powered mobility-and even comes with it's own built-in USB and MIDI cables.

- 1-in/1-out MIDI interface
- **16 MIDI input channels**
- 16 MIDI output channels
- Bus-powered-requires no external
- power supply Extremely compact & lightweight for mobile or desktop use х
- Built-in USB and MIDI cables
- 2006090 \$39.95

MIDI Cables CABLE

Looking for plain old MIDI cables? MSA also has basic MIDI cables to go between MIDI devices or from a MIDI interface to a keyboard or other MIDI module. Available in either five foot or ten foot lengths, these cables work with any MIDI

2033001 5' MIDI Cables\$4.95 2033002 10' MIDI Cables \$5.95

device and are guaranteed for FIVE YEARS! Stock up. You never know when you'll need another MIDI cable.

Yamaha GO46 FireWire Interface



The Yamaha GO46 is a mobile audio solution that features high quality mic preamps and world-class MIDI and audio recording software enabling professional quality recording to a computer in a compact package that can be carried and used virtually anywhere.

- **Compact, multi-channel FireWire interface**
- 2 mic/line combo inputs with independent switchable phantom power
- 2 TRS insert jacks for connecting your favorite external effects Pro-quality recording with up to 24-bit/192kHz resolution
- 4-in/6-out multi-channel audio via FireWire SP/DIF digital I/O and MIDI I/O

- Compatible with AC-3 and DTS surround playback systems Complete music production software bundle including Cubase LE, Groove Agent SE, HALion SE, Amplitube LE and T Racks EQ

2037031 Yamaha GO46 Training DVD......\$19.95

MidAir Wireless MIDI System

Bring your MIDI gear into the wireless age with the MidAir system. Comprised of a portable transmitter and receiver, the MidAir allows you to wirelessly transmit data from any device that outputs MIDI datakeyboards, drum machines, electronic drums and more.

- Wirelessiy transmit MIDI from any MIDI Out capable device
- Transmitter powered by 2 AA batteries or AC adapter
- Receiver powered by USB or AC adapter Broadcasts at 2.4 GHz up to 30 feet
- MidAir receiver includes a USB port and serves as a MIDI interface
- Automatically switches channels to insure a clear signal Channel switching allows use of multiple systems simultaneously

USB MIDISport 1x1

The USB MIDISPORT 1x1 offers a simple, inexpensive

solution for

when you're



just starting out or only need basic 16-channel MIDI in/out connectivity for your computer. Bus-power makes it easy to take anywhere.

Lifetime Warranty.

- 1-in/1-out MIDI interface
- 16 discrete MIDI input channels 16 discrete MIDI output channels **Bus-powered**—requires no external
- power supply
- Extremely compact and lightweight for mobile or desktop use

2006111 \$44.95

USB MIDISport 2x2

The USB MIDISPORT 2x2 is a compact multi-port MIDI interface providing 32 x 32 MIDI



channel addressing. The 2x2 is ideal for connecting a number of MIDI devices to your computer, as well as eliminating delays associated with long MIDI Thru chains. Buspowered operation means that you can use it anywhere. Standalone functionality also gives you MIDI through even when your computer is off.

- 2-in/2-out MIDI interface
- **Includes 2 MIDI cables**
- 32 discrete MIDI input channels; 32 discrete MIDI output channels
- Bus-powered—requires no external
- power supply Compact and lightweight for mobile or desktop use
- Standalone mode allows basic MIDI through when computer is off

2006100 \$69.95

FireWire 410 4-in/10-out Mobile Audio/MIDI Interface

FireWire 410 is a FireWire compatible audio/MIDI interface that has it all...

power, flexibility, compact size and low price. Its 4-in/10-out configuration with pre-amps is perfect for personal recording, routing discrete outputs to a mixer, or directly driving a surround sound system.



The on-board ASIO 2-compliant mixer and software control panel provide total routing flexibility, including monitoring with external effects. It can even be completely bus-powered for total mobile operation.

- 2 x 8 24-bit Analog I/O
- 2 x 2 Digital I/O with S/PDIF, AC3 and DTS 1 x 1 MIDI Interface

- Powered by DC power supply or by computer with 6-pin FireWire Dual Mic/Instruments pre-amps with gain control & phantom power
- 2 convenient high-speed FireWire ports

2006225 FireWire 410......\$299.00 Save \$60.00 each on 10 or more!



ETRONOMES AND TUNERS

Solutions for developing proper intonation and rhythm skills

Peterson StroboFlip

- 0.1 cent accuracy **Real-Time Virtual Strobe**
- Technology Concert A: 390Hz to 490Hz
- Programmable auto-off to conserve battery life
- Adjustable temperament root
- **Backlit control panel**
- 34 preset temperaments/Sweeteners
- Offsets for all instruments fitted with
- the Buzz Feiten Tuning System Peterson Sweetened Tuning for guitar,
- bass, dobro, steel guitar, violin, viola & cello 8 user-programmable Sweetened
- temperament banks
- User-programmable tempered tunings Battery operated or use included AC power supply Pitch Holder mounting clamp and TP-2 tuning pickup included
- Size: 3.5" x 3.5" x 1.6"

5032300



McAdams Classroom Powered Metronome

McAdams Instruments manufactures the most powerful metronome you can buy for use in the classroom. It includes metronome and tuning functions, and has a built-in amplifier and speaker. It's loud enough so you can use this in a full band room without further amplification. All models play a wide variety of rhythms, subdividing the beat and the measure. A full octave of tuning notes is available along with the special notes in perfect intervals for use with strings. Models 20V and 20XV allow you to vary the pitch reference from A-435 to A-446. If you want still more sound, there is an output jack for an external amplifier.

	the second se			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Model	20	20V	20X	20XV
Power	120 watts	s 120 watts 360	360 watts	360 watts
Tuning	A440	A435-A446	A440	A435-A446
034200	McAdams Mode	l 20 Metronom	e	\$779.0
034210	0 McAdams Model 20V Metronome			
034220 McAdams Model 20X Metronome			\$899.0	
034230 McAdams Model 20XV Metronome			\$959.0	
034150	20' Optional Wir	ed Mute Switch		

NEW

igimet Metronome

igimet is a fully self contained lectronic tempo and pitch instrument nat is specifically designed for assroom use. It is both remote ontrollable and programmable. The mote control feature of the unit lows both the teacher and the etronome to be located virtually nywhere in the classroom providing exibility and convenience to the structor.

Remote controllable up to 50 feet Beat Subdivisions 2X through 9X Self contained 20 watt amplifier Ten memory presets (can be recalled on the downbeat) Accent the first beat of each measure Accents can be added within the available subdivisions Audible tuning notes (F, A, and Bb) **Outputs for external amplification** Rugged construction for reliability on the job

45100\$799.00





.... \$29.95

Roland Boss TU-80 Tuner & Metronome

- Affordable and reliable LCD tuner with handy, built-in metronome
- Supports chromatic tuning, plus 7-string guitars and 6-string basses
- Accu-Pitch function sounds a tone when pitch is correct 13055
- Reference Tone Play function makes it easy to verify tuning **Tunes** down to 5 flats
- Ultra-wide tuning range of E0 to C8—almost 8 octaves!
- Ultra-thin body fits easily into a guitar case or pocket Metronome has 7 rhythms, 10
- beats & cool animated LCD display

5011050

Yamaha QT-1 Quartz Metronome

Now available in your choice of three colors, this metronome's great looks are only surpassed by its great performance. Tempos can be set from 40 to 208 beats per minute, and musical tempo

references are included, from presto to largo. The volume control allows you to hear the beat over loud music, and two different "beat" sounds make for pleasant practice sessions. You can even turn off the volume and just follow the flashing red indicator light. A compact design with quartz accuracy.

5027060	QT1 Teal/Black \$27.95
	OT1 Purple/Black \$27.95
5027062	QT1 Woodgrain \$27.95





ligital and motor control technologies, providing a versatile tuning instrument with unsurpassed accuracy and features. Its simple and intuitive operation makes it a pleasure to use for all music educators, music students, musical instrument maintenance professionals, manufacturers, and other users with precision tuning applications.

The Strobe Center[™] 5000 II is the newest in the line of digitally-precise, 12-wheel (one strobe per scale note) tuners produced by Peterson Electro-Musical Products, Inc. These tuners permit **hands-free**, **instantaneous imaging** of note pitches as well as **simultaneous viewing of harmonies** and overtone frequencies in sounds. In addition, programmable and preset **alternate temperaments and piano stretch tunings** make the SC-5000 II a truly universal tuning device.

- VISUAL RANGE: Seven Octaves from C=16.352 Hz to B=3951.064 Hz; Eight Octaves when using the DISPLAY +2/-I Feature.
- ACCURACY: Equal Temperament Scale, All Preprogrammed Alternate Temperaments, Built-In Stretch Tuning Tables, User Definable Temperaments and Stretch Tuning Tables are guaranteed to be within 1 / 10 of 1 / 100 of a semitone (1 / 10 of one Cent, or 0.005%)

http://www.petersontuners.com/products/modelsc/index.cfm

Send T

- KEY SELECTION: Choice of Bb, F, Eb (in addition to C) key signatures for instruments not tuned in C. Strobe Patterns display in the note window corresponding to the note sounded for instruments tuned in, B b, F, E b (and C.)
- STROBE DISC DRIVES: Each of the 12 strobe discs is driven by an individual microprocessor-controlled computer-grade motor.
- PREPROGRAMMED TEMPERAMENTS: Equal Temperament, Pythagorean Tuning, Just Intonation-Major Mode, just Intonation-Minor Mode, Quarter Comma Mean-Tone, Werckmeister-111, Kimberger-III, and Young
 Temperaments.
- **BUILT-IN STRETCH TUNING TABLES** for Concert Grand, Studio Grand, Small Grand, Full Upright, Console Upright, and Spinet pianos.
- CUSTOM DEFINABLE MEMORY Capacity for either 225 Custom
 Temperament files or 32 Custom Stretch Tables, or a combination (such as 112 Custom Temperaments and 16 Custom Stretch files.)
- ELECTRICAL SPECIFICATIONS Operates on 105-125 or 210-240 Volts AC 50/60 Hz. Sensitive built-in condenser microphone. 1/4" jack input—for external microphone (e.g. peterson part #: 170172) or pick-up—with Mutecontrolled Patch-Through Output.
- CONTROLS Power On/Off Switch (rear panel,) Digital Pitch Vernier Up/Down Switches, Mute, Enter, Display +2/-I Selection, Key Selector, 4 Menu-controlled Function Switches, Electro-Luminescent LCD screen with 80 Characters, 12 Strobe-Wheel Tuning Windows each labeled with the corresponding note of the chromatic musical scale.
- SIZE: 71/2" x 21 1/4" x 141/4" (19.lcm x 54.Ocm x 36.2cm) Custom crafted wood case covered in black Moroccan grain, scuff resistant leatherette. Detachable Cover includes retainer for removable power cord.
- NET WEIGHT: 26 pounds (1 1.8 kg)
- SHIPPING WEIGHT: 29 pounds (13.2 kg)
- GUARANTEE: Instrument is guaranteed to be free of defects in material or workmanship for a period of one year from the date of sale. During this period we will, at our option, repair or replace any instrument free of charge, provided the warranty card supplied with the instrument is returned to the factory within thirty days of the date of sale to the original purchaser. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.
- MADE IN THE U.S.A.
 U.S. Patent #5,877,443

Read More

43 Top of

http://www.petersontuners.com/products/modelsc/index.cfm

4/10/2007



© 2007 Paterson Electro-Musical Products, Inc. No part or parts may be copied or reproduced without the expressed written cor Electro-Musical Products, Inc.

http://www.petersontuners.com/products/modelsc/index.cfm

Qwik Time QT-5 Quartz Metronome · Bouncing ball display!

- · Much louder than
- competing models
- · Unique new credit card size with folding stand
- Accent beat in 2/4, 3/4, 4/4 time

ET833 \$ 9.88

Owik Time QT-3 Metronome

- Louder Speaker
- Over 200 Speed Settings · Distinctive Click Sound 'Cuts Through" the Music
- · A440 Tuning Tone
- Low Battery Indicator
- · Earphone Jack
- Unsurpassed Accuracy ET700 \$ 14.98



Super-Mini Taktell Windup Metronome Small enough to fit in pocket. High-

impact plastic housing. Precision built with the same accuracy and durability as the larger metronomes. 4" x 1-1/8" x 1-7/8"



-44

MS009 \$ 27.88

48

www.interstatemusic.com

Taktell Piecolo Windup Metronome

Housed in a colorful plastic casing. Handy and convenient for traveling musical organizations, students, teachers. Only 5-1/2" high, yet is equal to full size metronomes in performance.

MS010 \$ 34.88



Yamaha QT1 Metronome

The QT1 is world-renowned for its unique shape and precision accuracy. Enhanced with quartz technology, this compact metronome allows you to control the volume, choose from two different "beat" sounds, or mute the sound all together by following a flashing Indicator light. ET399

1.00	00 01	÷.,
3	29.95	2

Korg MA-30 Netronence

Tap function sets tempo accordingly, suitable for a wide variety of musical styles, from classic to rock and jazz, with

thirteen types of time signatures built in. Calibration function lets you adjust the pitch of these notes in 1 Hz steps in either the modern 440 Hz pitch range or the historical 415 Hz pitch range. A large, highly visible LCD pendulum indicates the time signature according to the specified tempo.

ET847 \$ 28.85

Korg MM-1 Metronome

On-ear micro metronome is only slightly larger than an earring, but packs all the functionality you could want for rhythm training! Digital accuracy and everything you need for complete rhythm

training. Only you can hear iti Sets tempo over range from 40 to 208 ppm.

1/4, 2/4, 3/4, 4/4, 5/4, 6/4, 7/4 time signatures. Duplet, triplet, and quadruplet beats. Long life lithium battery for cable-free use (battery life 500 hours). Dimensions: .64" wide x 1.83" deep x .66" high. Weight: .2 oz.

ET184 \$ 19,88

Selko SPM-370 **Traditional Mechanical** Metronome

New from Seiko, this comes in Transparent colors. Features: Tempo range: 40~208 (20 steps), Bell Beat accents: 0,2,3,4,6. Transparent Colors: Grav(SG). Blue(SL), Red(SR). Please specify color when ordering.

EA035(color) \$ 49.95

McAdams Model 20 Metronome **Tuning Note** Reference

Instruments manufactures a powerful, portable metronome for classroom use. These portable units weigh only 7 lb, and are built to last!



The Model 20's main function is that of a metronome with a myriad of beats, divisions, accents and combinations. A full tempered chromatic octave of tuning notes is also available along with the special notes in perfect intervals for use with open strings.

The Model 20 has enough power to make it useable by itself with a full class. It is also fitted with an output jack to feed a PA system.

Both models play the same rhythms and tuning notes. The "V" models below allow you to vary the pitch reference from A-435 to A-446.

Model 20V: Variable, 120 watts peak power et855v 💲 **708.00**

Model 20XV: Variable, 360 watts peak power ET855XV \$ 778,00

Selke DN-50 Cite Style Metronome

Clip it anywhere! Features: Tempo Range: 30-250bpm, Beat accents: 0,1,2,3,4,5,6,7, Rhythm accents: 8th note, triplet, 16th notes, Tempo indicator: motion icd, plus 1 LED, 4 level volume control, Power supply: 1 lithum catter included (CR2025), Colors: Black (L), Red RL Sheet Th EA034 \$ 23.95



Seiko DM-11 Wetronome

The Seiko DM-11 is a creat card sized digital metanome with a sound mute function ET267 \$ 24,88

Selko SQ-50 Quartz Metronome

The SQ50 features virtually perfect tempo settings, and an A-440Hz frequency tone that simplifies the tuning of just about any instrument. A tempo range from 40 to 208 beats per minute



is easily set from the 39 position rotary dial 4 ---light can be selected for a visual beat or com with a "click" sound for a visual and audible combine tion. Includes earphone jack. Uses 9V battery (supplier) and has wire stand for angle adjustment. ET789 \$ 27.88

Seiko DM-70 Wetronome

Tempo range: 30-250bpm, Beat accents: 0,1,2,3,4,5,6,7, Rhythm accents: 8th note, 8th note upbeat, triplet, triplet me shuffle, 16th notes, 16th note shuffle, Tempo indice tor: Motion LCD, plus 1 Reference tones. ET17270 \$ 29.96



Metronome di mana casing. Weinut conten matte silk finish



0

0

Sabina MT9000 Metrotune IN-TUNE, IN TIME, EVERY TIME! Three Products in One: Chromatic AutoTuner, Advanced Metronome and Tone Generator An Indispensable Tool for all Musicians Sabine's famous wood-block sounding metronome now has a continuous volume control and comes with three modes: standard, accented downbeat, and five useful rhythm figures (duplet, triplet, etc.). ET4489 \$ 29.88

McAdams





Home » Products » Drums & Percussion » Pads & Foot Controllers » Foot Controllers » FD-8

FD-8: Hi-Hat Controller

Features

Ultra-Sensitive Hi-Hat Control

Thanks to Roland's new FD-8 Hi-Hat Controller, drummers can get more realistic hi-hat sounds with smooth transitions between open and closed. With a fresh new look and updated kits, pads and cymbals, the V-Tour Series TD-6S packs an impressive punch.

\$99



Home » Products » Drums & Percussion » Pads & Foot Controllers » Cymbal Pads » CY-14C

CY-14C: V-Cymbal Crash

Features

The new CY-14C V-Cymbal[™] Crash takes the V-Drums[®] revolution several steps further by faithfully recreating the dimensions, movement and inertia of an acoustic crash cymbal.

\$129ea.

- 14-inch crash cymbal with realistic playing feel; responds to strikes with acoustic cymbal-type movement and inertia
- Dual-trigger system with individual sensors for edge and bow of cymbal
- Allows cymbal "chokes" for dynamic crash performances
- Compatible with all Roland TD-Series/SPD-Series sound modules



(E) of these

Home » Products » Drums & Percussion » Pads & Foot Controllers » Drum Pads » PD-105

PD-105: V-Pad

\$ 199 ea.

Features

How do you improve upon the world's most popular electronic percussion pads? Start by designing a brand new sensor mechanism for more accurate triggering, and then give 'em a cool black finish! The 12-inch PD-125BK and 10-inch PD-105BK mesh V-Pads both feature Roland's latest dual-triggering technology, resulting in more even and accurate sensing between the head and rim. They are also the first V-Pads with rim shot capabilities on the toms—including the actual "rim click" sound*.

*Rim triggering on toms requires TD-20 Percussion Sound Module.

4/18/2007



Home » Products » Drums & Percussion » Stands & Hardware » MDY-10U

MDY-10U: Cymbal Mount

Features

\$ 39 ea.

A "hatched" cymbal mount for CY-Series Crash and Ride cymbals, as well as PD-9/7/6 pads and the DB-88 Dr. Beat metronome.

4/18/2007



Home » Products » Drums & Percussion » Stands & Hardware » PDS-2

PDS-2: Pad Stand

Features

\$70

A small sturdy stand with adjustable angle for the Rhythm Coach Series.

4/18/2007



Home » Products » Drums & Percussion » Rhythm Coach » RMP-5

RMP-5: Rhythm Coach

Advanced Rhythm Trainer with Built-In Sounds

Features

The RMP-3 made headlines when it was announced in early 2005. Today Roland builds on its winning rhythm line with the new RMP-5. Sharing a few key features in common with the popular RMP-3, the RMP-5 has a great-feeling, tunable mesh drumhead, and a convenient one-piece molded body with integrated pad and brain. The RMP-5 strides to the front of the class, however, with its 54 onboard PCM sounds (including snare drums, kick, cymbals, and percussion instruments; the RMP-3 has no built-in sampled sounds) plus an external dual trigger input so you can add a kick and cymbal pad for drum kit practice. The RMP-5 also features an advanced, expanded Rhythm Coach mode.

- PCM sound engine with 54 sounds onboard
- External dual trigger input for adding an optional kick and cymbal pad
- Variety of metronome sounds and patterns (samba, jazz, etc.)
- Convenient one-piece design
- Large LCD screen
- · Patented mesh head technology for a great acoustic feel
- Advanced Rhythm Coach exercises, featuring Stroke Balance and Time Check
- Mix input for playing along with CD players or other audio devices



Home » Products » Drums & Percussion » Amplifiers » TDA-700

TDA-700: V-Drums Amplifier

Features



With their incredible sounds, expandability, and new set configurations, the V-Drums® are easily the most popular electronic drum systems in the world. Now, with the new TDA-700, the V-Drums gain the perfect amplification system with a 300-watt, bi-amp design, versatile input and output capabilities and a sound quality that's second to none.

- High-powered V-Drums amplifier with 300-watt bi-amp design and superb sound
- 240-watt powered 15" woofer and 60-watt powered horn driver
- Onboard FFPTM technology maximizes amp efficiency thanks to digital control
- Dedicated V-Drums input with V-Drums Shape switch
- Versatile 3-channel design allows flexible routing and use of multiple input sources
- Output Select function permits routing of select signals to headphones, headphone + speaker or headphone + speaker + Line output
- Stereo Link capability allows for stereo TDA-700 setup with control from a single amp
- XLR Line outputs for professional stage and studio connections

Buy Mackie Onyx 24.4 Premium 24-Channel Analog Live Sound Mixing Console online Page 1 of 3



Stage Snakes

Accessories

DJ Gear & Lighting Gaffers & Stage Tape Headphones Hearing Protection Karaoke Packages Mixer Lights & Meter Bridges **Power Conditioners** Power Supplies **Raw Drivers** Speaker Brackets **Tuners & Metronomes**

Stands, Racks & Cases

2-6 Space Rack 8-12 Space Rack 14+ Space Rack All Rack Cases Carts, Casters & Dollies Microphone Stands & Вооп Mixer Stands Mixer/Speaker Cases, Gigbags & Covers Monitor Stands Music Stands Rack Accessories Speaker Stands Stand Accessories & Parts

Utility & Gear Cases & Bags



gain for extremely accurate and musical results. It features independent Threshold, Ratio and Fast/Slow Attack controls, and can be assigned post fader to the L/R main mix (for system limiting and protection) or pre-fader to Group 1/2 or 3/4 outputs (for grouped signal compression, like drums or background vocals). This reduces the hassle and expense of separate outboard processing.

Master section

If total control over signal routing, talk back/monitor mixing, and external effects processing is what you seek, then look no further - the Onyx 4-Bus Series Master section has everything you've come to expect from a Mackie mixing console, and more. The onboard 6 x 2 Matrix Mixer is the solution to the not-enough monitor send" blues. Not only can you use the Aux Sends to generate up to 6 monitor mixes, but the Matrix Mixer can be used to generate 2 additional independent mixes ideal for IEM (inear monitor) systems, cry rooms, green rooms or other zoned outputs. Visual monitoring of Solo, Main output and compression/limiting is expertly handled via 4, giant 12-segment LED ladders. And even the Sub Groups feature 4-segment LED's, so you know what signal levels are at glance.

Mackie Onyx 24.4 Premium 24-Channel Analog Live Sound Mixing Console Features:

- 24-channel/4-bus premium analog mixer designed for live sound
- · Onyx microphone preamps with class-leading fidelity and dynamic range
- on every channel
- 4-band Perkins EQ on every channel for warm, musical sound
- 6x2 Matrix Mixer provides 2 additional mixes for monitors, etc.
- Assignable stereo compressor/limiter designed by THAT
- Giant 12 segment LED ladders for main output and compressor/limiter
- 6 aux sends with pre/post switching
- 2 dedicated stereo channels
- Two dedicated stereo channels
- · 100mm Panasonic faders on all channels, groups, and mains
- Same physical size as the popular SR24+4 mixing console

For live sound at it's best, order the Onyx 24.4 today.

PDF Downloads for Mackie Onyx 24.4 Premium 24-Channel Analog Live Sound **Mixing Console**

PDF Manual

Customers Who Bought This Product Also Bought



Add to Cart Add this product and all checked items to your cart:

Explore Similar Products:

Live Sound » Mixers » Unpowered » Analog

About

- History **Employment Opportunities Bienvenidos** International Customers Site Map
- Services Free Catalog E-mail Newsletters Affiliate Program Sweepstakes Gear Giveaway Platinum Membership

Help & Contact Help Center Contact Us Track Your Order E-mail Unsubscribe

Trust

18

Testimonials Privacy Policy Terms and Conditions Terms of Use Return Policy Low Price Guarantee



TALK TO A PRO OR BUY ONLINE!



COMPASS TRANSF 800-476-9886 | 608-227-3000 | Fax: 608-831-1890 Monday - Friday 9:00 - 5:30, Saturday 10:00 - 4:00 CST

800-356-5844 | 608-831-7330 | Fax: 608-831-6330 SFULL COMPASS HERE THE PROSARE Monday -Friday 9:00 - 5:30 CST ¡Expertos que hablan Español disponibles en x1178 Y x1164!

Home » Products » Audio & Sound Equipment » Amplifiers » Power Amplifiers » Low Impedance (2-8-16 Ohm) Power Amplifiers

QSC RMX1850HD **Power Amplifier**



Click for more QSC products

- Print this page
- Email to a friend
- Low Price Guarantee



CLICK TO ENLARGE

RMX1850HD Power Amplifier This item is eligible for FREE Shipping	List Price: \$650.00 Our Price:\$529.00 You save 19%
Usually ships in 1-2 business days	Quantity: 1

Add to quote Add to wish list Buy Now

- Description
- Documentation

Stereo Mode Power: 360w/ch 8-ohms, 600w/ch 4-ohms, 900w/ch 2-ohms

http://www.fullcompass.com/product/265256.html

Mono Bridge Mode Power: 1200w 8-ohms, 1800w 4-ohms

The new RMX Series amplifiers give you clean, dynamic power with the legendary QSC sound quality and reliability that pros depend on. The RMX Series deliver unmatched performance at a new breakthrough price.

Muscular Power Plant

The power supply is the heart of an amplifier, converting raw AC power from the wall to clean DC for the audio circuitry. The RMX uses a powerful high-current toroidal transformer and ample filter capacitance to ensure generous energy reserves. This makes a critical difference in sound quality, allowing the amp to effortlessly punch out high level transients, even when driving abusive 2-ohm speaker loads.

Superior Performance

RMX amplifiers deliver true studio-quality sound. A full complementary output circuit using the highest-grade linear output devices delivers ultra-low distortion (<0.05% THD) & a ruler-flat frequency response. SMT (Surface Mount Technology) triples small-signal component density, enabling us to pack up to 2400 watts of power in a chassis only 2 rack spaces & less than 16" deep. And unlike other designs, RMX output devices are direct-mounted to the heat sink for optimum thermal coupling & cooling.

Comprehensive Features

The RMX Series is packed full of professional features that increase performance and flexibility:

- Independent defeatable clip limiters reduce distortion without sacrificing peak performance.
- Selectable low-frequency filters boost systemresponse, protect speakers and ensure low-end tightness by more preciselymatching the amplifier's range to the loudspeakers.
- Barrier strip, XLR and 1/4" balanced inputs plusSpeakon and binding postoutputs provide easy connections.
- Low-noise variable speed fans with rear-to-front air flow keepamplifiersand racks cool.

Proven Reliability

With over 30 years of building amplifiers for the largest touring companies and venues around the world, you can count on QSC's reputation for designing the most reliable amps available.

Click to download

- RMX Series Manual
- <u>RMX Series Brochure</u>

Warning: Invalid argument supplied for foreach() in /www/data/fullcompass/sites/product.php on line 1125

COMPANY INFO About Us Contact Us Honors & Awards

ADDITIONAL SERVICES Integration Leasing Lighting Design **CUSTOMER RESOURCES**

My Account Order Tracking Fraud Policy

http://www.fullcompass.com/product/265256.html

Press Releases Organizations Employment

Parts Rentals Sales Service Center Pro Q & A Rebate Center Newsletter Customer Testimonials Site Map

:: Conditions Statement :: Privacy Statement :: Terms of Service ::





Stage Snakes **Customers Who Bought This Product Also Bought** Accessories DJ Gear & Lighting Ultimate TS-90B Telelock Tripod Speaker Stand \$99.99 \square Gaffers & Stage Tape Black Headphones Hearing Protection Karaoke Packages Mixer Lights & Meter Bridges ProLine Speaker Stand Black \$39.99 \square Power Conditioners Power Supplies Raw Drivers Speaker Brackets Tuners & Metronomes A Stands, Racks & Cases 2-6 Space Rack 8-12 Space Rack Add to Cart Add this product and all checked items to your cart: 14+ Space Rack All Rack Cases **User Reviews** Carts, Casters & Dollies EAW FR153z 15" 3-Way Speaker Cabinet Product Reviews Microphone Stands & Booms **Mixer Stands** Number of Reviews: 7 Share your thoughts with other customers and write a review. Mixer/Speaker Cases, Gigbags & Covers Monitor Stands We welcome your review, positive or negative. To ensure it's posted, please read our Music Stands Product Review Guidelines. Rack Accessories Speaker Stands Ideal For DJs Stand Accessories & Parts Features: ***** 7 Sonik from NJ Utility & Gear Cases & Bags Experience: I own it Quality: ****** 10 Background: Mobile DJ Value: ***** 9 Style of Music: ALL. Country to Rock to Latin to Hip Hop&More Overall: ****** 10 Product: EAW FR153z 15" 3-Way Speaker Cabinet May 1, 2006 - I've been powering these with a PLX3402 since day one, and they kick. Playing everything a mobile DJ would have to, these speakers offer so much that other products lack. The three way design is so clear that in it's price range, no product comes close to the clarity. If used in full range, the bass is sufficient for small to medium venues. But with a solid subwoofer, using this as a one stop source for excellent midrange and highs. They're the perfect passive cabinet for a trained ear Keep in mind they're heavy and more bulky than any other designs. Newer products by JBL and Mackie are more mobile friendly. But if you can lift a little more and don't mind the space it takes up in your transportation. I wouldn't buy anything else if I could spend this much money. CAUTION TO BUYERS: The three way design is not as durable to mic speech as a rugged horn. Very common for to blow parts

Well doneMade in America

Features: ***** 10	Solid Gold from CountryNew Zealand
Quality: ***** 10	Experience: I own it Background: Professional Musician for 40 years
Value: ***** 9	Style of Music: Mixermainly 60's 70's and 80's
Overall: ****** 10	Product: EAW FR153z 15" 3-Way Speaker Cabinet

Feb 26, 2006 - I spent a lot of time comparing before buying. Wanted something that sounded good, especially for vocals. I play in a two piece band using a Mini disk for backing. With 1 X LA400 sub, this combination rocks.

in this cab if the highs are not monitored. The cab is so good that setting your highs down will still sound better than a horn design in other products. WATCH YOURSELF.

Wow

Features: ***** 10	CTH from Detroit	
Quality: ****** 10	Experience: I own it	
Value: ***** 10	Background: Pro Style of Music: Jazz, Blues, Rock	
Overall: ****** 10	Product: EAW FR153z 15" 3-Way Speaker Cabinet	

Oct 16, 2004 - I have been using these speakers for 4 years and I love them. People give me compliments on how good they sound. They sit on top of a couple of subs. What a sound, so clear. I can't let them go.

supa dj manny g

Features: ***** 10	supadjmq from nj
Quality: ***** 10	Experience: I own it Background: dj/ remixer
Value: ***** 10	Style of Music: house music

....

Overall: ****** 10 Product: EAW FR153z 15" 3-Way Speaker Cabinet

Jul 27, 2004 - this speaker is incredible. I dj at all top clubs in nyc ever dj who used this speaker ioves it. these speakers are used at club stereo in montral and club splash nyc.

EAW three way

. .

Features: ***** 10	JK RB 250 from Gwinn, MI
Quality: ***** 10	Experience: I own it
757 3077	Background: Active Musician
Value: ****** 9	Style of Music: Bluegrass
Overail: ***** 10	Product: EAW FR153z 15" 3-Way Speaker Cabinet

Feb 20, 2004 - For an acousitc band the speakers have been amazing. Vocals and instruments come out crystal clear. Improved our sound greatly.

View more product reviews »

Customer-written product reviews are provided as a service to Musician's Friend website visitors. We neither endorse such reviews nor can we vouch for their accuracy. We urge you to learn as much as possible about a product before making a purchase and we strive to offer comprehensive, accurate information to help you in that process. Our friendly, informed online and telephone customer support staff will be happy to help you sort out specs and assist you in choosing the product that's right for you. Just send us an email or call 800-391-8762 Open 24/7.

If you would like to write a review, please see our product review guidelines.

Explore Similar Products:

Live Sound » Speakers » Cabs » Passive

About	Services	Help & Contact	Trust
History	Free Catalog	Help Center	Testimonials
Employment Opportunities	E-mail Newsletters	Contact Us	Privacy Policy
Blenvenidost	Affiliate Program	Track Your Order	Terms and Conditions
International Customers	Sweepstakes	E-mail Unsubscribe	Terms of Use
Site Map	Gear Giveaway		Return Policy
	Platinum Membership		Low Price Guarantee

Entire contents Copyright © 2007 Musician's Friend Inc. Musician's Friend is a registered trademark of Musician's Friend Inc. All Rights Reserved. Publisher does not accept liability for incorrect spelling, printing errors (including prices), incorrect manufacturer's specifications or changes, or grammatical inaccuracies in any product included in the Musician's Friend catalog or website. Prices subject to change without notice.

Top Of Page

PRO CO MULTIPAIR AUDIO CABLES



FEATURES:

- Lightweight extruded aluminum **U-channel enclosure**
- CL2 rated to meet NEC require ments for safety
- **Cable is highly flexible**
- Neutrik® metal-shell connectors for high-use durability



DESCRIPTION

When your multipair system will be used in a fixed installation or in a "low abuse" portable application, Pro Co's StageMASTER™ Multipair Audio Cables are clearly the ideal choice.

Each StageMASTER™ stagebox is constructed of a 16 gauge steel connector plate covered with a durable polycarbonate overlay which includes channel identification numbers and a handy "write-on" space for each channel, an extruded aluminum U-channel and steel end caps.

Mic inputs are Neutrik® NC3FP-P Female XLR connectors and sends are Neutrik NC3MP-P Male XLR connectors or 1/4" T/R/S phone jacks (as designated).

The stagebox is wired via PRO CO DURALINK™ Multipair Audio Cable to a 3 or 4 foot Fanout (determined by the total number of channels) with Neutrik NC3MX Male XLR connectors and Neutrik NC3FX Female XLR connectors or 1/4" T/R/S phone plugs (as designated).

The cable is secured to the stagebox with a durable plastic strain relief.

The individual channels of the Fanout are protected with PVC tubing.

StageMASTER™ Multipair Audio Cables are available in 12, 16, 20 and 28 channel Fan to Box configurations and standard 10M (32.8FT.), 15M (49.21FT.), 25M (82.02FT.), 30M (98.42FT.) and 45M (147.6FT.) lengths.

Standard Fan to Fan configurations include 8, 12, 16 and 24 channels in 10M (32,8FT.), 20M (65.62FT.), 25M (82.02FT.), 30M (98.42FT.) and 45M (147.6FT.) lengths.

StageMASTER™ Box to Blunt Cut and Fan to Blunt Cut Cables are available in 12, 16, 20 and 28 channel configurations in 15M (49.2FT.), 30M (98.42FT.) and 45M 147.6FT.) lengths.

DURALINK™ Multipair Cable

UL Rating:			CL2
Conductor Ga	iuge:		AWG (.20mm ²)
			2 (7 x .254mm ²)
Insulation:			.012" (.305mm)
			polypropylene
	(0	color coded	for channel ID)
Nominal Lay	Length:		1.5" (38.1mm)
			24 AWG, 7 x 32
		(.20mm	r^{2} , 7 x .254mm ²)
Shield:		Alur	ninum/polyester
		Tape Wrap	100% coverage
Capacitance			
	ed condu	ctors):	21 pF/ft.
(,	(68 pF/m)
Capacitance			(
(between one	of paired		
conductors ar	id remain	ina	
conductor tied	to shield	Ŋ.	38 pF/ft.
		.,	(124 pF/m)
Overall Diame	ter [.]		(12.1 p. 7.1.)
Model			0.D.
			.415" (10.5mm)
			.500" (12.7mm)
			.570" (14.5mm)
			.630" (16.0mm)
			.730" (18.5mm)
			.800" (20.3mm)
			.860" (21.8mm)
	······	•••••	



PRO CO

Mackie SA 1532Z x 2\$1799.99 per speaker



Pump Up the Volume with Mackie Speakers!

Get ready to blow your audience's socks off with the new Mackie SA1532z Active loudspeakers! The SA1532z is a result of a collaboration between Mackie and Eastern Acoustic works that packs 1300 watts of wallop into an innovative enclosure and delivers amazingly clean, open sound.

Mackie SA1532z at a Glance:

- * New design with increased power, recalibrated electronics and audiophile tuning
- * Clean, clear sound from dual 15" woofers, 6" midrange and 1.75" tweeter
- * Unique horn design focuses mids and highs
- * 1300 watts of power
- * Super-efficient cabinet design by Eastern Acoustic Works

New design with increased power, recalibrated electronics and audiophile tuning The Super Active SA1532z PA speakers are designed to improve upon the award-winning Mackie SA designs of the past with maximized power, recalibrated active electronics, high-definition neodymium drivers, as well as extensive acoustic design and tuning by the world-renowned Eastern Acoustic Works engineering team. These speakers give you maximum sound from a compact footprint, making them ideal for gigging in clubs and touring in the van.

Clean, clear sound from dual 15" woofers, 6" midrange and 1.75" tweeter

The SA1532z 3-way system employs several distinct elements to achieve its amazing accuracy and full, natural sound. Frequencies above 3kHz are produced by a 1.75" neodymium compression driver, while a 6" neodymium midrange transducer operates between 700Hz and 3kHz - eliminating the placement of a crossover point in the center of critical voice frequency range. The SA1532z employs two 15" low-frequency drivers for clean, tight bass. Frequency response for the SA1532z is a remarkably full 38Hz-20kHz.

Unique horn design focuses mids and highs

Additionally, the SA1532z features an optimized wide-dispersion WaveFront horn design - a sophisticated one-piece 90 x 40-degree horn that combines both mid- and high-frequency drivers. Unlike typical mid/high horn designs, the high-frequency section fires slightly downward into the six-inch mid-range driver's dispersion pattern, creating a focused, single wave front with excellent phase and power response characteristics. The resulting 90 x 40-degree dispersion pattern provides open, natural sound for the entire audience, even at extreme output levels - giving the 3-way SA1532z loudspeakers a distinct high-definition signature across the range.

1300 watts of power

The new SA1532z loudspeaker offers maximum power for its class - a massive 1300 total watts! The completely recalibrated active electronics, which include precision crossovers, level protection and electronic time correction, work in concert with the new neodymium mid- and high-frequency drivers to deliver greater accuracy, increased output, and reduced weight. To ensure maximum structural rigidity, the SA1532z features robust cabinets constructed from 18mm Baltic birch plywood and pressure-injected structural resin.

Super-efficient cabinet design by Eastern Acoustic Works

In addition, the new SA1532z was developed and tuned exclusively by the Eastern Acoustic Works (EAW) engineering team. As a result of their efforts, every model in Mackie's new SA Series range functions as a highly efficient system, optimizing acoustic, electronic and mechanical designs to achieve the highest level of performance and value.

Mackie SA1532z Features:

- * Two 15" low-frequency drivers
- * 6" neodymium midrange transducer
- * 1.75" neodymium compression tweeter
- * 90 x 40-degree horn for open, natural sound
- * Frequency response 39Hz-20kHz
- * Peak SPL 139dB @ 1 meter
- * 1300 watts total power
- * Re-calibrated active electronics
- * Precision crossovers
- * Built-in protection circuit

Presonus DigimaxFS......\$599.99



The PreSonus DigiMax FS is an 8-channel microphone preamplifier, with 24-bit/96kHz ADAT dual SMUX I/O and word clock I/O. Loaded with direct outputs and inserts on every channel, the DIGIMAX FS is the perfect hardware expansion for your FireStudio or any digital recording system with optical light pipe expansion capability including DigiDesign's HD and 002 systems, RME, YAMAHA, Alesis, Mackie, and many others.

PreSonus DigiMax FS at a Glance:

- * New jitter reduction technology for smear-free audio
- * Handles wide variations in clock frequencies

New jitter reduction technology for smear-free audio

The DigiMax FS is loaded with new patented JetPLL jitter reduction technology ensuring ultra-high converter performance, fast and robust locking through a wide range and variation of frequencies and noise shaping to remove nearly all audio band jitter.

Handles wide variations in clock frequencies

The DigiMax FS locks up to any digital format quickly, through a wide range of frequencies. It's extremely robust and tolerant of wide variations in clock frequencies. This ensures near-perfect clock performance when networking audio devices.

PreSonus DigiMax FS Features:

- * Eight Class A microphone preamps w/ trim control
- * 24-bit resolution, 44.1, 48, 88.2, and 96kHz sampling rate
- * 96kHz ADAT input and output (dual SMUX)
- * JetPLL jitter reduction technology for ultra tight synchronization
- * Direct outputs and inserts on every channel
- * Word clock input and output
- * Ensures highest converter performance possible, resulting in better separation

15 Inch 2.33GHz Apple Macbook Pro.....\$2499.00



d'

Specifications

- * 2.33GHz Intel Core 2 Duo
 * 2GB 667 DDR2 SDRAM 2x1GB
 * 120GB Serial ATA Drive @ 5400 rpm
 * SuperDrive 6x (DVD+R DL/DVD±RW/CD-RW)
 * MacBook Pro 15-inch Widescreen Display
 * Backlit Keyboard/Mac OS U.S. English

* Accessory Kit

Propellerhead's Reason 3.0.....\$399.97



Synthesizers, samplers, drum machine, REX file loop player, professional mastering tools, mixer, vocoder, world class effects, pattern sequencer and more. As many of each as your computer can handle. Reason is an infinitely expandable music workstation on a CD-ROM, complete with its own realtime sequencer. Less fuss, more inspiration

As a Reason user, you can forget about the downsides of music production. Forget malfunctioning modules and confusing connections. Reason's cables don't tangle. Forget about tiny backlit displays and steep learning curves. Reason is so direct you'll learn it in minutes. And forget the tedious process of gathering all the different disks and sound banks needed to load up a song. With Reason, picking up where you left off - be it last night or last month - is as simple as turning the power on. When you save your music, your whole studio setup is stored along with it. You can even include your samples, loops and drum kits in the Reason file, for easy web publishing or email collaboration with other Reason users. For once, total recall is truly total.

And so is the sound. The audio quality is everything you would expect from Propellerhead Software. But pristine sound quality is only half the story; the instruments and effects in Reason are loaded with character and attitude. Although easy to learn and a breeze to use, Reason is an extremely flexible system that's as complex and advanced as you make it. And with sophisticated tools such as the MClass mastering suite, or the Combinator, which lets you build new instruments and effects by combining and layering Reason devices, Reason will not just impress, but inspire you. Control your controls

Each unit in Reason's virtual rack is edited from its own on-screen front panel. All the sliders, knobs, buttons and functions are right in front of you, ready to be tweaked, turned and twisted in absolute real-time. And all your front panel actions - filter adjustments, pitch bending, gain riding or panning - can be recorded and automated in the Reason sequencer.

Radical routing

A single keypress will turn Reason's rack around, and there you are, in patch cord heaven. Most audio connections are made automatically. When a new device is created, it appears immediately below the currently selected device, and Reason patches it into the system in the most logical way. Repatch by dragging the patch cord plug to the desired connector, or just make a pop-up menu choice. Most devices have one or more parameters controlled by Gate and/or CV. And all instrument devices have several Gate or CV output options. Combine this with easy, transparent patching, and you have connection power approaching that of a fully modular synth. Need more gear?

No problem. Choose a synth, a drum machine, a loop player or any device from the Create menu, and it will instantly appear in your rack, logically patched into the signal chain. And because Reason is designed to go easy on your computer, you can repeat the process until you're more than happy. If you ever wished you had eleven samplers and ten compressors, Reason is definitely for you. And if you have created more machines than you have mixer channels, just create another mixer. The studio of your dreams is just a few mouse clicks away.
Korg Triton Extreme 88......\$2299.97



The Triton Extreme is a Triton with attitude! Beneath the cool blue exterior of this 88 key, progressive greaded hammer action Triton Extreme, lurks a red-hot 160 MB of clean, crisp 48kHz wave ROM - five times the ROM of the classic TRITON! This massive ROM includes sizzling new samples - expressive guitars (both acoustic and electric), woodwind and brass instruments captured with true natural vibratos, stellar organs, authentic choirs and an all-new concert grand piano are only a few of the highlights. TRITON Extreme also includes the entire sample sets from Korg's best selling Trance Attack, Orchestral Collection and Vintage Archives expansion boards, the best material from Korg's Dance Extreme, Studio Essentials and Pianos/Classic Keyboards collections; and, of course, the complete TRITON STUDIO sample set.

Korg Triton Extreme 88 At-a-Glance:

- * Mounds of Sounds
- * Unchained Sound Creation Horsepower
- * Sizzling Sampling
- * Exhilarating Effects: Valve Force & More!
- * Stay in Control
- * Beyond Sequencing
- * Behind The Scenes Power
- * Welcome To the USB Universe
- * One Is Not Enough

Mounds of Sounds

When it comes to sounds, the TRITON Extreme is a treasure trove, delivering an out-of-the-box palette of sounds created by the top programmers in the game. The new sounds are drawn from a broad selection of new samples, including acoustic and electric guitars, woodwind and brass instruments captured with their natural vibrato, organs, authentic choirs, and an all-new concert grand piano. Also included are the entire sample sets from Korg's best-selling Trance Attack, Orchestral Collection, and Vintage Archives expansion boards, as well as the best of Korg's Dance Extreme, Studio Essentials, and Pianos/Classic Keyboards collections, plus the complete TRITON Studio ROM.

From this massive ROM, Korg has created 1,334 programs, 50 drum kits, and 1,280 combinations, each consisting of up to eight Programs, split, layered, zoned, and velocity-allocated across the keyboard. In addition, General MIDI Level 2 Presets contain 256 programs and 9 drum kits.

Unchained Sound Creation Horsepower

TRITON Extreme's Twin tone generators combine to pump out a generous 120 notes of polyphony. Korg's acclaimed Hyper Integrated synthesis engine provides breath-taking audio quality and an amazing degree of sound editing control. Each oscillator is processed through a multi-mode filter and multiple advanced envelope generators for precise sound shaping. Each of the two LFOs offers 21 waveforms, and each LFO can be synced to the arpeggiator, sequencer, or to your other MIDI gear. Plus, TRITON Extreme contains 42 alternate modulation source (AMS) types and 51 modulation destinations. Supercharge your TRITON Extreme by adding six-voices of DSP modeling (stolen from the legendary Korg Z1) with the optional MOSS (EXB-MOSS).

Dual polyphonic arpeggiators can spit out machine-gun cascades of notes, hold down a groove or generate a simple acoustic guitar picking pattern. 489 arpeggiator patterns come preloaded.

Sizzling Sampling

The TRITON Extreme is also a robust 16-bit, 48kHz sampler. Korg's exclusive Open Sampling System unlocks the power and benefits of sampling from every mode. This opens the door to creatively resampling your TRITON Extreme performances - including performances enhanced by the sequencer playback and the arpeggiators. Auto-Setup functions automatically optimize multiple parameters for a variety of sampling situations. By far, one of the most important features of the TRITON Extreme's sampling engine is "In Track Sampling," where you can sample audio directly into the sequencer as it plays. The possibilities are endless, but now you can add vocal lines, guitar solos and other audio performances to your sequenced songs! Finally, you can sample or resample directly to CompactFlash or Microdrive media. Resampled songs saved to media can be converted to audio and burned to CD via USB.

Expandable to 96 MB, TRITON Extreme ships with 16 MB of sample memory. Sample memory is conveniently added through a pop-open hatch on the front panel. A complete set of grid-assisted sample editing tools is provided - including time slice, loop, truncate, and time stretch functions. TRITON Extreme is compatible with .WAV, AIFF, AKAI S1000/S3000 and KORG format sample data. Advanced Conversion Load allows AKAI programs to be loaded into a new Program or multi-level Combination with the filter settings, envelope settings, and velocity switching parameters preserved for enhanced compatibility.

Exhilarating Effects: Valve Force & More!

Korg's new tube-driven Valve Force circuitry can be used as an insert effect or on the final outputs, adding just the right amount of warmth or snarl to your sound. You can even sample an external sound through the Valve Force circuit to impart "tube" quality to the sound. The enhanced version in the TRITON Extreme provides that same.fullness of tone and also incorporates an Ultra Boost element designed to punch up the low end without muddying up the sound.

In addition to Valve Force, TRITON Extreme also boasts five Insert effects, two stereo Master effects as well as a Master EQ effect for eight simultaneous effects. Multiple timbres can be routed to the same Insert effect, and you can chain Insert effects together to create outrageous custom multi-effects. Master effects can run side by side or in series for maximum flexibility. Effect parameters are freely editable, can be modulated in realtime and are saved with the sound. Insert effects draw from a deep well of 102 effect types, and there are 89 Master effect types. Effects can be applied to both internal and external sounds, even as a sound is being sampled. By resampling an effect laden performance you can free up effects and use them over and over.

Stay in Control

In addition to its mighty and intuitive TouchView display panel, TRITON Extreme provides an array of unique realtime controls, including a joystick, ribbon controller and two assignable switches. Four realtime control knobs can switch between Valve Force parameters (Input Trim, Ultra Boost, Tube Gain, Output Level), sound editing functions (Cutoff, Resonance, EG-Intensity and Release) or any four parameters of your choice - including controlling external MIDI gear. The back panel accommodates multiple pedal types that can be assigned to a variety of functions.

Beyond Sequencing

TRITON Extreme is also an amazing compositional tool. Sixteen tracks, 200 songs and 200,000 notes are just the beginning. Step time, real time, looping and pattern based recording modes allow you to capture your musical ideas your way. Sequencing is so much more than just record and playback, and TRITON Extreme delivers the tools you need to polish your songs into gemstones. Quantize functions tighten up your timing or add swing to a steady beat. Twenty-four Tone Adjust parameters let you quickly edit the timbre assigned to any track without exiting the sequencer, and leave the original program untouched. Sys Ex recording allows you to automate your mix in new and creative ways - muting tracks, soloing others, loading new effect programs during different sections, and more. TRITON Extreme also uses song "templates" to give you a head start when laying down tracks. Each template assigns timbres to each track, assigns and routes effects, and can even offer up a variety of rhythm patterns to get you going. Sixteen song templates, each tuned to a different musical style, are preset and you can also create 16 all your own, eliminating repetitive steps when you want to get your ideas down.

If you'd like to work on your masterpiece in smaller chunks, you can compose individual songs for the verse, chorus and bridge etc.; the Cue List function allows you to string these individual parts together. Once you have decided on the right order - and you can try a number of versions - simply convert the Cue List into a single song. You can also create your hits from even smaller building blocks. With Korg's Realtime Pattern Play and Record (RPPR) function, short sequenced patterns can be assigned and played back from individual keys on the keyboard.

Behind The Scenes Power

Its not just what's up front that counts. The TRITON Extreme's back panel is decked out with all the trappings a modern synth should have. In addition to the main left and right outputs, there are four assignable individual outputs to send your sound where you want it. Two audio inputs with adjustable gain and MIC/LINE level switching allow you to sample from a wide range of sources, as well as access the internal effects. Digital In and Out is provided in S/P DIF optical format. Here you'll also find the CompactFlash media slot, MIDI connectors, and the damper/footswitch/footpedal jacks.

Welcome To the USB Universe

Two USB connection ports open up a world of possibilities. By connecting a CD-R/RW drive to USB Port A, completed songs (once they have been resampled as .WAV files) can be burned to CD as audio. This connection also allows you to use external USB data storage units with the TRITON Extreme. USB Port B allows an external computer to access the media in the CompactFlash slot, allowing you to share files back and forth.

One Is Not Enough

TRITON Extreme is available in both 61 and 76 key synth-action models - both with variable velocity and aftertouch response. TRITON Extreme 88 is equipped with our premium RH2 keybed, featuring progressive graded hammer action, aftertouch, and an authentic piano feel. Try out the latest TRITON - and take your playing to a new Extreme...

Korg Triton Extreme 88 (88 Keys) Features:

* HI synthesis system=48kHz Sampling frequency, 160Mbyte PCM ROM, 962 multisamples+1, 171 drum samples. Sampling: 16 bit, 48 kHz stereo/mono sampling, resampling, 16Mbytes SIMM, expandable to 96Mbytes. Maximum of 1,000 multisamples/4,000 samples. Up to 128 indices can be assigned to a multisample. AIFF, WAVE, AKAI S1000/S3000 and KORG format sample data can be loaded.

* 88 keys (Real Weighted Hammer Action2)

* Stereo digital multi-effect system-2 master effects (mono in, stereo out), 5 insert effects (stereo in/out), and 1 master EQ (3 band stereo) simultaneously

* Ultra boost circuit system + Vacuum tube: 12AU7

* 102 (insert effects/ master effects)

* 1,536 user programs, 1,334 preload, (128 programs for Korg's MOSS tone generator can be added after installing the separately sold EXB-MOSS option

* 1,536 user memory combinations, 1,280 preload, 144 user drum kits, 50 preload, GM Level 2- 256programs+9 (drums) ROM preset program

* Sequencer Section: 16 multi timbres, 16 tracks, 1/192 resolution quarter note, 150 preset/100 user patterns (per song), 200 songs, 20 cue lists, 200,000 notes maximum, reads and writes Standard MIDI File (Format 0 and 1)

* RPPR (Realtime Pattern Play / Recording)

* One set per song, 150 preset patterns

* Arpeggiator: 5 preset patterns, 507 user patterns (489 preload)

* Controllers: Joystick, Ribbon controller.

* REALTIME CONTROLS Knob [1]-[4], ARPPEGIATOR [TEMPO], [GATE], [VELOCITY], [VALUE] Slider

* Control Inputs: Damper pedal (Responds to half-pedaling),

* Assignable (SWITCH, PEDAL)

* Outputs: Main - L/MONO, R,

* Individual - 1, 2, 3, 4,

* S/P DIF (optical 24bits, 48kHz),

* Headphones

* Inputs

* 1, 2, Level Switch MIC/LINE, Level Knob, S/P DIF (optical 24bits, 48kHz)

* Card Slot

* Compact Flash, Microdrive (both +5V Compatibility only)

* MIDI IN, OUT, THRU

* Interface: USB Type A (For external USB device), USB Type B (For PC)

* Display: TouchView Graphical User Interface, 320 x 240 dots.

Korg Triton Extreme Supported OS:

* Supported OS: Mac OS 9.0.4 or later, Mac OS X or later for using USB Storage: Mac OS X v10.2 or later for using USB MIDI

* Supported Computer: Apple Macintosh supported systems above with USB port

* Windows

* Supported OS: Microsoft Windows 98*/Me/2000/XP for using USB Storage: Microsoft Windows XP Home Edition / Professional for using USB MIDI

* Supported Computer: PC supported Windows XP with USB port (Intel USB Host Controller recommended)

Korg Triton Extreme 88 - A Triton with Attitude!

M-Audio Keystation Pro 88......\$399.97



88 Weighted Hammer-Action Keys, Only 47 Lb! How about the features and benefits of M-Audio's innovative Oxygen 8 in a professional studio 88-key version? M-Audio heard the clamor and delivered the killer Keystation Pro 88, an 88-key hammer-action USB powered MIDI controller with features that make it the most comprehensive and competitive product of its kind!

M-Audio Keystation Pro 88 at a Glance:

- * Full 88-key weighted action keyboard, only 47 lb!, * A ton of MIDI controllers to run your soft synths
- * Incredibly flexible and easy to configure, * Organ players, these faders work the way drawbars should!

Full 88-key weighted action keyboard, only 47 lb!

Regardless of whether you're a seasoned pro or just ready to take your music to the next level, the Keystation Pro 88's hammer action keys are so expressive that you just won't want to stop playing! It could easily become your sole keyboard in the studio or onstage. Yet the Keystation Pro 88 weighs only 47 lb. That's half the weight of most weighted-action keyboards!

A ton of MIDI controllers to run your soft synths. The Keystation Pro 88 offers 59 (!) assignable controls that deliver more than enough tactile command over your favorite soft synths and digital audio sequencers like Reason and Live. It unifies everything you need to experience the full potential of your virtual studio. With nine ultra-smooth Alps faders, 22 rotary controllers and 22 buttons all MIDI assignable - you might never have to shuffle back and forth between your Keystation Pro and your computer.

The Keystation Pro 88 also delivers a pitch wheel, and a modulation wheel, plus sustain pedal and controller pedal inputs that are all fully assignable as well. 10 memory locations store your controller settings, and the included Enigma editor provides unlimited storage.

Incredibly flexible and easy to configure

Setting up knob and fader assignments on the Keystation Pro 88 couldn't be easier. Turn a knob or slide a fader, hit Control Assign and type in a controller number. Mapping controls to specific MIDI channels is just as straightforward. With four zones for setting up layers and splits plus multiple dynamic velocity curves, the Keystation Pro 88 can handle your studio or live performances with ease!

Organ players, these faders work the way drawbars should! If you've ever tried to tweak a virtual tonewheel organ with a traditional fader box, you know how awkward it feels to "push" a fader instead of "pulling" a drawbar. The Keystation Pro 88 solves that problem with switchable-polarity faders. So when you pull any of the nine faders toward you, the drawbar level increases!

M-Audio Keystation Pro 88 Features:

- * 88-key hammer-action, velocity-sensitive keyboard
- * Powered via USB bus (cable included) or optional 9V power supply
- * 24 MIDI-assignable rotary controllers
- * 22 MIDI-assignable buttons
- * 9 MIDI-assignable Alps faders
- * MIDI-assignable pitch bend and modulation wheels
- * MIDI-assignable foot switch and foot pedal inputs

* Controllers assignable to MIDI controllers, notes, transport controls, program changes (including LSB and MSB), sys-ex, and RPN/NRPN

- * Independent MIDI channel assign for all controllers
- * Four keyboard zones for layers and splits
- * Multiple dynamic velocity curves
- * Large custom LCD displays controller number, assigned controller, edit icons and edit values
- * 10 memory locations for saving all controller assignments
- * Sys-ex memory dump transmits the complete memory contents for backup purposes
- * Free Enigma editor software for unlimited storage
- * +/- 11 semi-tone transposition
- * Dedicated buttons allow program and bank changes on the fly
- * Control Mute function mutes the output of all controllers so you can position them to the desired value before tweaking
- * Snap Shot button transmits all current controller settings
- * Fader Drawbar mode reverses the faders for realistic operation of organ emulators such as NI B4
- * MIDI In port * MIDI Out port can drive external MIDI gear or be used as USB to MIDI Out interface
- * General MIDI 1 and 2 compatible
- * USB class compliant-no drivers required for Windows XP or Mac OS X
- * Drivers also included for Windows 98SE, ME, 2000, XP and Mac OS 9
- * Lightweight only 47 lbs!

The M-Audio Keystation Pro 88 could be the universal controller you've been looking for! New Audio Power for Pro Tools LE! With the new FireWire-based Mbox 2 Pro, Pro Tools LE just got even cooler! Digidesign has taken the concept of a portable, compact Pro Tools LE rig to even greater heights. It's a powerful box that offers a great deal of flexibility and capability. Now you can choose the Mbox that's best for you: the USB Mbox 2 or the new FireWire Mbox 2 Pro.

Digidesign Mbox 2 Pro at a Glance:

- * A high-quality audio solution for both pro and project studios
- * Expanded I/O with plenty of hands-on control
- * S/PDIF digital audio and word clock I/O
- * Includes Pro Tools LE and Ignition Pack software

Digidesign Mbox 2 Pro.....\$699.97



A high-quality audio solution for both pro and project studios

Digidesign's Mbox and Mbox 2 have proven tremendously popular - not only with "entry-level" and "home" users (whatever those terms mean) but also with high-end professionals, who use the portable interfaces for editing tracks on location and on airplanes, for tracking smaller sessions, for mixing on the run, and for working on projects from home or project studios, then taking those projects into full-on Pro Tools TDM-based studios for the finishing touches. The Mbox 2 Pro raises the bar, giving you the ability to use up to four simultaneous inputs (using the S/PDIF ins and external clocking, up to six inputs!) and eight simultaneous outputs.

Expanded I/O with plenty of hands-on control

The clean and streamlined front panel of the Mbox 2 Pro offers plenty of up-front, hands-on control. Starting from the left, there are indicators for power, external clock sync, and MIDI activity. Two 1/4-inch headphone jacks, each with its own dedicated volume knob follow - you can create two independent headphone mixes using the 3/4 button - after which comes the monitor output volume knob. Next up is the stereo Aux Input control, with accompanying peak LED and switch/indicator for phono operation. On the right are two inputs, each with a level control, peak LED indicator, and switches for selecting either the front-panel 1/4-inch DI jacks or the rear-panel mic/line-level connections.

S/PDIF digital audio and word clock I/O

Flipping the Mbox 2 Pro around to check out the back panel, you'll find a plethora of input/output options. Starting from the left you have two 1/4-inch/XLR combo mic/line inputs, then the stereo Aux Input, which offers a choice of 1/4-inch line inputs or RCA inputs for phono operation, and features a grounding lug for use with turntables. Stereo 1/4-inch monitor outputs appear next, along with four 1/4-inch line outputs. S/PDIF digital I/O on coaxial connections follows, along with line outs 5/6 (which share one jack), a footswitch jack, MIDI in and out (with time-stamping), and two FireWire ports for connecting the unit to your computer and daisy-chaining additional FireWire gear. Of special note are the word clock input and output on BNC connectors, for synchronizing the Mbox 2 Pro to the rest of your digital gear. The back panel is rounded out with a connector for the external power supply.

Includes Pro Tools LE and Ignition Pack software

A big part of the Mbox 2 Pro's appeal is the inclusion of Digidesign's powerful Pro Tools LE software. Not only does Pro Tools LE give you as much tracking, editing, processing, and mixing power as you need to do even large projects, but you can easily open up the Pro Tools LE session in a high-end Pro Tools TDM system with all its settings and plugins intact. Also included is the Ignition Pack, which bundles Ableton Live Lite, Propellerhead Reason Adapted, FXpansion BFD Lite, Celemony Melodyne Uno Essential, IK Multimedia Samplitude 2 SE, Amplitube LE, and Tracks EQ, an instructional DVD, a REX file CD, and much more. It's also available as the Mbox 2 Pro Factory, which adds even more great plug-ins. For even more power, purchase the Music Production Toolkit, which takes PT LE up to 48 mono or stereo tracks, adds the multitrack Beat Detective, even more high-end plug-ins, and much more. There is a free downloadable upgrade available from Digidesign for Intel Macs.

Digidesign Mbox 2 Pro Features:

- * Award-winning Pro Tools LE recording, editing, and mixing software
- * Comprehensive Pro Tools Ignition Pack software and audio tool collection
- * Professional sound quality
- * Powered by FireWire or included power supply
- * Supports up to 24-bit/96 kHz resolution
- * 4 analog inputs (2 XLR/1/4" TRS combo jacks & 2 1/4" TRS jacks)
- * 6 analog outputs (1/4" jacks)

* 2 instrument DI inputs on the front panel
* 2 channels of S/PDIF digital I/O (RCA)
* Built-in phono preamp input (RCA) for direct turntable connection
* 1 MIDI input and output (16 channels in/16 channels out)
* MIDI Time Stamping (MTS) support for superior timing and accuracy
* BNC word clock I/O
* Low-latency monitoring
* Dedicated studio monitor outputs with volume control
* 2 stereo headphone outputs with independent volume controls
* 48V phantom power for condenser microphones

The Mbox 2 Pro is a professional audio powerhouse!

15

Hat Pedal (#7511).....\$200 (www.alternatemode.com)



The HAT Pedal is the ultimate beaterless position-sensing foot pedal which supports virtually all types of electronic hi-hat control. The Hat Pedals control jack can be used with instruments capable of sweeping different levels of open hi-hat. The footswitch jack accomodates instruments with open or closed hi-hat mode and the trigger jack supports dynamic pedal-hat. The large weighted foot pedal surface provides quick almost effortless performance. Solid construction with a durable aircraft-grade hinge ensures smooth, quiet and reliable operation.





The FAT Pedal is the ultimate beaterless trigger pedal for use both on stage and in the studio. It features an incredibly wide dynamic range, excellent sensitivity, and an extremely smooth and responsive feel. The large weighted foot pedal surface provides quick almost effortless performance. The dual jacks allow two FAT Pedals to be chained for double bass configuration. Solid construction with a durable aircraft-grade hinge ensures smooth, quiet and reliable operation.

Shure - Wireless Systems	- WB98H/C Instrum	nent Microphone	1	Page 1 of 1
Sty 12 of	Husc E' PRO AUDI	0 # 149	.97 sa	-
	ABOUT SHUP	ARTIST ENDORSE	RS PRESS EVEN	NTS DEALER LOGIN CONTACT P
HOME P	RODUCTS TE	CH LIBRARY	DOWNLOADS	SERVICE & WARRANTY
View larger print page	Pro Audio Home > Prod Microphone WB98H/C Ins The Shure WB98H/C (cardioid condenser ins instruments or onto th and ratcheting swivel secured in place, and instrument 'key noise' included to provide be active performances. WB98H/C with 10 ft.	strument Mi the wireless version trumental microphor ie rim of percussion joint allows the micro an isolation shock-m and other mechanic tter retention of the	crophone of the Beta 98H/C ne that clamps ont instruments. The in ophone to be easily ount reduces the t al noise. A goosen microphone placer) is a premium o the bell of wind ntegrated gooseneck y positioned and ransmission of eck angle brace is ment during more

Features	Specifications	Systems	User Guides	
range. The pickup patte noise.	atures transformerless pr rn of the Beta 98H/C pro- m sound pressure level (S nstruments.	vides high gain-befor	e-feedback and excellent	rejection of unwanted
Wide dynamic ra Uniform supercal Optional A98D di holding it firmly i Compact design Detachable cable Interchangeable	cy response for studio qua nge for use in high SPL e rdioid pattern for high gai rum mount is unobtrusive in place reduces stage clutter for easy storage microphone cartridges wi guality, ruggedness, and	nvironments in before feedback an and versatileallows th different polar pat	s precise positioning of th	

Shure Home | Product Registration | Careers | Privacy & Security | Legal | Español 💴 | Site Map | Site Feedback | Contact Us

 $\textcircled{\sc c}2007$ Shure Incorporated. All Rights Reserved.

Yamaha 01V96V2.....\$2199.99



24-Bit/96kHz 01V!

Digital audio technology has come a long way since the early days of 16 bits at 44.1 kHz - a format that many considered to be the reason for "harsh", "cold" sound. The entire industry is now settling on 24-bit/96-kHz digital operation for significantly superior sonic quality. The Yamaha 01V96V2 does give you a choice - you can work at 44.1 kHz, 48 kHz, 88.2 kHz, or 96 kHz, depending on the needs of each individual project. But when you want the truly transparent, incredibly dynamic sound of 24-bits at 96 kHz, the 01V96V2 is ready to deliver. It even includes a comprehensive range of superb 96-kHz compatible stereo effects with 32-bit internal processing.

Yamaha 01V96V2 At a Glance

- * Version 2 Software Allows Add-on Plug-ins
- * 24 Analog & Digital Channel Inputs and Expandable to 40
- * Built-in ADAT Optical Interface
- * Integrated DAW Control
- * Surround Panning
- * Rear Panel Connectivity

Version 2 Software Allows You to Utilize Effect Plug-ins

Yamaha's 01V96V2 ships with the upgraded Version 2 software to enable add-on effects plug-ins for expanded mixing and mastering capabilities. In addition, Yamaha's upgraded Studio Manager software has new editing abilities and onscreen control.

24 Analog & Digital Channel Inputs ... Expandable to 40

Right out of the box the Yamaha 01V96V2 gives you 16 analog channel inputs - 12 with high-performance microphone head amplifiers - and eight digital channel inputs via a built-in ADAT optical interface. The first 12 analog channels will accept microphone signals or balanced/unbalanced line-level signals, while the remaining four channels can be used either as individual balanced/unbalanced line inputs or two stereo pairs. Without going any further you're ready to handle a comprehensive mix of analog and digital inputs. When you need more, Yamaha offers a range of Mini-YGDAI expansion cards that can simply be plugged into the 01V96V2 expansion slot to provide additional I/O in a variety of formats: ADAT, AES/EBU, TDIF or analog.

Built-in ADAT Optical Interface

The Yamaha 01V96V2 comes with an industry-standard ADAT optical digital I/O interface built right in - no options necessary. ADAT "Lightpipe" optical I/O is standard on a wide range of current digital sound gear, so you can simply plug in via optical cables for 8 digital inputs and 8 digital outputs that will handle your digital signals without compromise. Additional optical I/O capacity can be added via the 01V96 expansion slot, as necessary.

Integrated DAW Control

The Yamaha 01V96V2 has been designed to integrate tightly with leading digital audio workstations to create a complete production and mixing environment. Extensive support is provided for Digidesign's Pro Tools system as well as Steinberg's Nuendo DAW - full control of mixing and processing parameters, as well as transport/track-arming control and access to editing functions - directly from the 01V96 control surface. There's also a "General DAW" mode that provides compatibility with other workstations.

Surround Panning

Surround is becoming an important part of modern sound production. The Yamaha 01V96V2 features 6.1, 5.1 and 3-1 surround panning modes so you can create surround mixes without having to sacrifice features or performance in other areas.

Rear Panel

The 01V96V2's rear panel is home to balanced analog stereo and monitor outputs as well as four balanced "omni" outputs. The optical IN and OUT connectors for the 01V96V2's built-in ADAT interface are also located on the rear panel. There are also digital 2-track inputs and outputs featuring coaxial connectors. On-board sample rate conversion allows CD players and other digital sources connected to the digital input to be monitored or routed to an input channel without having to be synchronized to the system clock. A range of synchronization and control options are available via word clock inputs and outputs, MIDI connectors, and a USB "TO HOST" connector which can be used for computer control via the supplied Studio Monitor software. The 01V96V2's rear panel also has an expansion slot which will accept a wide range of Yamaha mini-YGDAI expansion cards that can add up to 16 additional channels in a variety of formats.

Yamaha 01V96V2 Digital Mixing Console Features:

* 24-channel digital mixer with 12 high-performance mic preamps

- * Expandable with ADAT, AES/EBU, TDIF, or analog Mini-YGDAI cards
- * Built-in ADAT I/O
- * Integrated DAW control for Pro Tools, Nuendo, and other software
- Surround panning capability
- * Balanced stereo main and monitor outputs plus 2-channel coax digital I/O
- * Word clock I/O
- * MIDI I/O

Yamaha's 01V96V2: A standalone recorder that's expandable and compatible with other DAWs!

AVANT ELECTRONICS CONTACT INFO



The AVANTONE "Cabernet (C-series)" mics from AVANT ELECTRONICS are designed to offer true professional performance. They will meet or surpass the performance and specifications of much higher priced mics. The AVANTONE CK-7 is truly a gorgeous looking and counding microphone. The design, character and performance can be compared directly to some of the very finest FET mics...but at a fraction of their cost!

Our rugged CK-7 microphone body and capsule assembly are precision machined of BRASS.

Aesthetically, It features an elegant Metallic Cabernet Wine-Red finish, accented with polished nickel trim and grill.

The transformer coupled Discreet Class A FET circuitry will yield pleasing professional results comparable to much more expensive designs.

Any studio can proudly offer the CK-7 as a vocal mic or utility condenser due to its versatility...It exudes class visually as well as sonically.

Manufactured using the finest materials yielding a very solid feel, superb structural integrity and rugged reliability.

The versatile CK-7 mic is able to produce professional results with a warm, pleasing sonic character.

The included Custom Retro Shockmount is superb in allowing a precise positioning of the mic while inhibiting the transfer of unwanted vibrations up into the mic. This isolation allows for superior professional results.

3-Pattern CLASS A FET Microphone w/ dual 35mm gold sputtered thin Mylar capsules

-10 dB pad & 80 Hz LF roll off switches

Standard Included Items:

AVANTONE CK-7 Multi-Pattern FET Microphone

AVANTONE Custom Retro Shockmount

Elegant padded genuine wooden Mic box

Padded Aluminum storage / travel case

Owners Manual

Uses Include:

Studio vocals, acoustic guitar, mandolin, drum overheads, plano, room mic, etc...

The 3 patterns allow the CK-7 to be used in a variety of situations. The cardioid pattern is generally best used on vocals and single instruments. The omni mode works well in incorporating some room sound into the track. The figure 8 pattern allows 2 vocalists to use the mic at the same time from opposite sides.

The -10dB attenuation switch can be engaged when miking very high SPL sources to keep from overloading the electronics.

The S0Hz MIGH-PASS filter switch can be engaged to reduce rumble and to keep unwanted low frequencies from "muddying up" the track.

True Condenser	
Cardioid , Omni , Figure 8	
20-20,000 Hz +/- 3dB	
<=250 Ohms	
139dB (0.5% THD @1000Hz)	0 - 19 - 18
75dB	
Male XLR 3 pin	
80 Hz 6dB/octave	
-10 dB	
Standard 48 Volt Phantom	
	Cardioid , Omni , Figure 8 20-20,000 Hz +/- 3dB <=250 Ohms 139dB (0.5% THD @1000Hz) 75dB Male XLR 3 pin 80 Hz 6dB/octave -10 dB



۰.

(





5-Year Warranty

AVANT ELECTRONICS

Copyright © 2006 AVANT ELECTRONICS - All Rights Reserved All design, technical specifications and pricing are subject to change without notice. AVANT ELECTRONICS CONTACT INFO



These rugged, elegantly designed drum microphones EXCEL in live sound as well as in the recording studio.

Manufactured using the finest materials yielding a very solid feel, superb structural integrity and rugged reliability

The CK-1 has a Low Frequency cutoff switch and -10dB attenuation switch for versatile tone shaping & signal control. It accurately captures the delicate nuances of the cymbals while rejecting sounds from interfering sources away from the kit.

The AMK "MONDO" kick mic is aggressively voiced to provide a HUGE low end while accentuating the upper percussive attack frequencies. Most engineers will find that very little (if any) EQ is required to achieve satisfying results.

The ATOM tom mic is custom voiced to yield a fat, big sound that often requires no EQ at all Because of the special voicing on the ATOM it also is fantastic on djembe, large congas, and bass amp cabinets.

The ADM snare mic is voiced to follow the familiar sound of industry standard snare mics BUT... We engineered a better low end and smoother top end.... plus as in all our mics... NO PLASTIC to break!

The included PRO-KLAMP drum rim mic mounts are superb in allowing a confident positioning of the mic while inhibiting the transfer of unwanted vibrations up into the mic. This isolation allows for professional results without the need for tripod/boom stands. While it was designed to withstand the rigors of live stage gigging, it is the first drum rim mic mount that will reliably work in a pro-studio situation. This makes the engineers' job easier and insures that the mics will stay in place where he positions them.

The SSM shock mounts are as rugged as you can find and allow a superb decoupling of the CK-1 mics from unwanted low-frequency transfers and rumble. This feature, coupled with the use of the PRO-KLAMPS results in a much tighter, less muddy sound than other brands of drum mic kits.

"These microphones enhance my sound as a drummer and creates the finishing touches for my identity".

Robin DiMaggio Drummer/Composer/Producer

World Renowned Drummer ... (Paul Simon, Diana Ross, Steve Val and Chris Isaak, etc.)

	AMK "MONDO KICK"	ADM SNARE MIC	ATOM TOM MIC	CK-1
ELEMENT	Dynamic	Dynamic	Dynamic	True Condenser
POLAR PATTERN	Cardioid	Cardioid	Cardioid	Cardioid
FREQUENCY RESPONSE	30Hz-15kHz	50Hz-16kHz	30Hz-15kHz	38 -20,000 Hz +/- 3dB
OUTPUT IMPEDANCE	150Ω±30%(at 1kHz)	250Ω±30%(at 1kHz)	150Ω±30%(at 1kHz)	<=200 Ohms
MAX SPL	145 dB	145 dB	145 dB	132 dB
BODY CONSTRUCTION	Heavy Die Cast ZINC	Heavy Die Cast ZINC	Heavy Die Cast ZINC	Machined Brass
OUTPUT CONNECTOR	Standard XLR MALE	Standard XLR MALE	Standard XLR MALE	Standard XLR MALE
POWER REQUIREMENT	N/A	N/A	N/A	+48 volt Phantom Power
FINISH	Metallic Wine Red & Black	Metallic Wine Red & Black	Metallic Wine Red & Black	Metallic Wine Red W/ Polished Nickel Trim
STAND MOUNT	Built-in standard 5/8- 27 threading	Built-in standard 5/8-27 threading	Built-in standard 5/8-27 threading	Standard 5/8-27 threading on SSM Mount

INCLUDES:

- (1) AMK "MONDO" Kick Microphone
- (1) ADM Snare Drum Microphone
- (3) ATOM Tom Microphones
- (2) CK-1 Cardioid Condenser Microphones
- (2) SSM Shockmounts for CK-1 Mics
- (4) PK-1 PRO-KLAMP Drum Rim Mic Mounts
- Padded Aluminum Road Case



Solid Metal Construction

5-Year Warranty

AVANT ELECTRONICS

Copyright © 2006 AVANT ELECTRONICS - All Rights Reserved All design, technical specifications and pricing are subject to change without notice. 1 .

CLICK FOR DETAILS

vamahamusicsoft.con

OWNIO20 MUSIC directly

to your instrument

DOWNLOAD LEARN. PLAY

Sheet Music

Midi Files, etc



Truly Grand

Gorgeous in sound, elegant in appearance, the new CVP series Clavir a stunning new design that draws on the best of past CVP models. The authentic voices and dynamic styles deliver truly professional quality the sophisticated yet easy-to-use features (including Internet connective instrument an endless source of musical enjoyment – for young and c one touch and you'll understand ... why it's truly grand!

Traditional craftsmanship and state-of-the-art technology

Unsurpassed beauty and elegance

Every bit as beautiful as it sounds, the Clavinova radiates the commanding presence of a grand piano with its solid, finely finished ca Polished Ebony finish (309PE only) recreates the formal elegance ar appearance of a concert grand, while the Polished Mahogany models (have warm, natural wood grain to complement and attractively furnish The CVP Series sports several beautiful finishes: Polished Ebo Polished Mahogany (309PM), Mahogany (307M, 305M, 303M), Cl 305C, 303C, 301C), and Dark Rosewood (307, 305, 303, 301).

http://www.yamaha.com/yamahavgn/CDA/ContentDetail/ModelSeriesDetail/0,,CNTID%2... 4/12/2007

Natural Wood Keyboard for an authentic grand piano feel (CV

The new CVP-309 utilizes the exclusive Natural Wood Keyboard feat wood keys and sophisticated technology that faithfully reproduces the of playing an actual acoustic grand piano. From the natural, balanced key mass to the authentic wood touch and feel – including rounded other genuine key shape features – this new keyboard has a pliexpressiveness that goes beyond anything ever available in a instrument. The sound response varies according to velocity and key notes having a slightly delayed response), and the characteristic weigl of the keys – make you feel as if you're playing a real grand piano.

A wealth of features and expressive power – for more musical fun

Seeing is believing

Here's a piano with a view. The extra-large LCDs – including full colo the CVP-309/307/305 – give you an at-a-glance view of all main setting operation easier than ever before. The Score display conveniently notation in the LCD, while the Lyrics display lets you see and sing a words onscreen. And you can customize the display to your liking – us digital photos for the background. Enjoy the convenience, enjoy the most of all, enjoy the view.

State-of-the-art technology delivers authentic sound

iAFC (Instrumental Active Field Control)

This sophisticated technology puts you and your performance cer creating a richer, warmer and more spacious sonic environment. I microphones, iAFC picks up the sound and combines it with the Clavinsound through the rear speakers, making automatic adjustments in enhance the sound and match the acoustic characteristics of the playing in.

Three advanced iAFC technologies

Dynamic Damper Effect (DDE)

DDE outputs discrete sampled overtones, harmonics and resonance 1 speakers to recreate the warm spacious sound that occurs when hold damper pedal on a grand piano

Spatial Ensemble Effect (SEE)

This uses advanced signal processing to recreate the natural rever resonance you would hear if playing a grand piano on a real stage. V with another musician or singer, the effect utilizes the built-in mi enhance the atmosphere and ambience of your duet performance.

Natural Soundboard (NSB)

The physical soundboard of a grand piano is one of its largest and musonic parts. This effect uses the built-in microphone to create a virtual producing a rich, expansive, and more natural sound.

Exceptionally realistic AWM tone generation

The heart of the Clavinova's voices is in the AWM (Advanced Wave N generation technology – providing instrumental sounds of amazing depth. The piano voices in particular benefit from the new Dyn Sampling (DSS) system, which features recordings of differently played from loud to soft – in order to fully capture the varying nuances in tim of a grand piano. Stereo Sustain Samples recreate the unique resol strings and soundboard of a real grand piano when the damper peda

while Key-off samples include the characteristic sound that occurs w released and the dampers fall back onto the strings.

Making it real

Extraordinarily realistic, expressive voices

No matter what style of music you play, the Clavinova ensures you'll r loss for voices. Hundreds upon hundreds of rich, realistic, dynamic vo into the instrument – with a selection of over 900 on the CVP-309 at These include the specially sampled and programmed *Sweet!, Live. Natural!* voices. The stunningly authentic instrument sounds make the treasure-trove of musical inspiration – providing a virtually endles: creative exploration and performance possibilities.

The wide world of music at your fingertips

Play like a pro

Unleash the performer in you

Performance assistant technology makes playing like a pro easy f anyone! Whatever your level, you can make great sounding music the first touch the keyboard. It's musical magic – everything you play is be professionally embellished based on the chords being player accompaniment of the Clavinova follows your every move, playing in pr and musical harmony. With Performance assistant technology turne note you play essentially becomes the "right" note!

Karaoke fun The Clavinova is perfect for sing-along fun with you friends. Simply connect an optional microphone, play back your favoril and start the show! You can have the song lyrics shown in the displ; output them to a separate TV monitor (CVP-309 / 307 / 305).

Automatic professional backing for your performance

The Auto Accompaniment features of the Clavinova open up a n performance possibilities. The dynamic accompaniment styles encomp every musical genre, and give you several different intros, variations endings to make you sound like a pro. If you don't know which style t the powerful Music Finder feature help. Simply select a song title or ke reconfigures the entire instrument, including the proper voices, style an

Song playback and recording

When it comes to playing back popular songs with complete rhythmic accompaniment, the Clavinova has you covered – with a total of 120 built-in Song Book (56 songs on the CVP-301). You can call up the m for each song, and even the lyrics for certain songs. For the creative r Clavinova contains a virtual 16-track recording studio, letting you c songs and arrangements one track at a time, using the realistic voices instrument.

Get online and tap into a new universe of music!

Visit the Yamaha Music Soft website and discover just how many w enhance your musical experience. Whether you want to play along, s just listen – we've got a huge and growing variety of special software æ help you make the most out of your Clavinova. Download your favo your computer and save them to a SmartMedia™ card for uploa Clavinova. Or, use the included MusicSoft (www.yamahamusicsoft.com) software to directly transfer data from Clavinova via a USB connection. While you're at the website, chec powerful tools there – especially the new Digital Music Notebook sy fully integrates music notation with both MIDI and audio data f comprehensive and convenient music learning experience you can hav

Connect to the Internet - right from your Clavinoval

Log onto Yamaha's special website – without a computer! With the Ir Connection feature, you can directly access the Internet from the LC your Clavinova and download your favorite song files directly into the ke

* An appropriate Internet connection and network is necessary for the Internet Direct Conne

Luxurious sound and true grand piano feel – plus comprehen music-making features

CVP309

- Polished Ebony
- 88-keys Natural wood Keyboard
- 640 x 480 dot VGA color LCD with Grand plano-style fallboard
- Score / Lyrics display function
- Six display languages
- Customizable wallpaper (display background)

• 3-step Dynamic Stereo Sampling AWM (Advanced Wave Migeneration with Stereo Sustain samples, Key-Off samples, Soundbo and String Resonance

- 128 + 128-note polyphony
- 338 Regular Voices
- 38 Natural! Voices
- 14 Sweet! Voices
- 19 Cool! Voices
- 22 Live! Voices
- 10 Organ Flutes! Voices (9 footages)
- Sound Creator
- XG
- GM2/GS
- Disk Orchestra
- Digital Effects (Reverb / Chorus / DSP)
- EQ
- Vocal Harmony
- 386 Accompaniment Styles
- Mega Voice Styles
- 34 Session! Styles
- 36 Pianist Styles
- Style Creator
- OTS (One Touch Setting)
- Music Finder (Max. 2,500 records)
- 120 preset songs (Song Book)
- Guide Function
- 16-track recording
- Karaoke function
- Performance assistant technology
- PIANO button for instant piano set-up
- Direct Access Button
- Registration Memory
- Internet Direct Connection
- Metronome
- iAFC
- 60W x 2 + 20W x 2 amplifier / speaker system
- SmartMedia Slot
- OPTICAL OUT

http://www.yamaha.com/yamahavgn/CDA/ContentDetail/ModelSeriesDetail/0,,CNTID%2... 4/12/2007

.

- USB to HOST & USB to Device (2)
- Video out jack
- Dual headphone jacks
- Three foot pedals
- Music clips
- Headphone Hanger

Yamaha Home | Shop Online | Products | Locate a Dealer | Service/Support | Artists | What's New | Search | Planos & Digital Drums | Keyboards & Music Production | Guitars / Basses / Amps / Effects | Live Sound | Marching & Orchestral Percussion | Brass & Woodwinds | Accessories | Commercial Audio | Music Education | Product Catalogs | New Product Registration Corporate Information | Related Links | Warranty/Safety Issues | Privacy Policy

© 2007 Yamaha Corporation of America. All rights reserved. Terms of Use and Copyright Notice

amahamusicsoft.com

JOWNIO20 MUSIC directiv

to your instrument



Every bit as beautiful as it sounds, the Clavinova radiates the commanding presence of a grand piano with its solid, finely finished care Polished Ebony finish (309PE only) recreates the formal elegance are appearance of a concert grand, while the Polished Mahogany models (have warm, natural wood grain to complement and attractively furnish The CVP Series sports several beautiful finishes: Polished Ebo Polished Mahogany (309PM), Mahogany (307M, 305M, 303M), Cl 305C, 303C, 301C), and Dark Rosewood (307, 305, 303, 301).

http://www.yamaha.com/yamahavgn/CDA/ContentDetail/ModelSeriesDetail/0,,CNTID%2... 4/12/2007

State-of-the-art technology delivers authentic sound

Exceptionally realistic AWM tone generation

The heart of the Clavinovas voices is in the AWM (Advanced Wave N generation technology – providing instrumental sounds of amazing depth. The piano voices in particular benefit from the new Dyn Sampling (DSS) system, which features recordings of differently player from loud to soft – in order to fully capture the varying nuances in tim of a grand piano. Stereo Sustain Samples recreate the unique reso strings and soundboard of a real grand piano when the damper pede while Key-off samples include the characteristic sound that occurs w released and the dampers fall back onto the strings.

The wide world of music at your fingertips

Play like a pro

Unleash the performer in you

Performance assistant technology makes playing like a pro easy f anyone! Whatever your level, you can make great sounding music the first touch the keyboard. It's musical magic – everything you play is be professionally embellished based on the chords being playe accompaniment of the Clavinova follows your every move, playing in p and musical harmony. With Performance assistant technology turne note you play essentially becomes the "right" note!

Automatic professional backing for your performance

The Auto Accompaniment features of the Clavinova open up a n performance possibilities. The dynamic accompaniment styles encomevery musical genre, and give you several different intros, variations endings to make you sound like a pro. If you dont know which style t the powerful Music Finder feature help. Simply select a song title or ke reconfigures the entire instrument, including the proper voices, style an

Song playback and recording

When it comes to playing back popular songs with complete rhythmic accompaniment, the Clavinova has you covered – with a total of 120 built-in Song Book (56 songs on the CVP-301). You can call up the m for each song, and even the lyrics for certain songs. For the creative I Clavinova contains a virtual 16-track recording studio, letting you c songs and arrangements one track at a time, using the realistic voices instrument.

Get online and tap into a new universe of music!

Visit the Yamaha Music Soft and discover just how many ways you your musical experience. Whether you want to play along, sing along, – weve got a huge and growing variety of special software and tools make the most out of your Clavinova. Download your favorite sc computer and save them to a SmartMedia™ card for uploading to th Or, use the included MusicSoft Downloader (www.yamahamusicsoft.c to directly transfer data from computer to Clavinova via a USB connyoure at the website, check out all the powerful tools there – espec Digital Music Notebook system, which fully integrates music notation w and audio data for the most comprehensive and convenient mu experience you can have!

Connect to the Internet – right from your Clavinoval

Log onto Yamahas special website – without a computer! With the Ir Connection feature, you can directly access the Internet from the LC your Clavinova and download your favorite song files directly into the k

* An appropriate Internet connection and network is necessary for the Internet Dir feature.

Taking your performance to higher levels

CVP303

- Dark Rosewood / Mahogany / Cherry
- 88-keys GH (Graded Hammer effect)
- 320 x 240 dot VGA B/W LCD with Grand piano-style fallboard
- Score / Lyrics display function
- Six display languages
- 3-step Dynamic Stereo Sampling AWM (Advanced Wave Migeneration with Stereo Sustain samples, Key-Off samples, Soundbo Reverb, and String Resonance
- 96-note polyphony
- 271 Regular Voices
- 21 Natural! Voices
- 11 Sweet! Voices
- 5 Cool! Voices
- 1 Live! Voices
 - 10 Organ Flutes! Voices (9 footages)
 - Sound Creator
- XG
- GM2/GS
 Dials Orable to the set of t
- Disk Orchestra
- Digital Effects (Reverb / Chorus / DSP)
- EQ
- Vocal Harmony
- 258 Accompaniment Styles
- 14 Session! Styles
- 36 Pianist Styles
- Style Creator
- OTS (One Touch Setting)
- Music Finder (Max. 2,500 records)
- 120 preset songs (Song Book)
- Guide Function
- 16-track recording
- Karaoke function
- Performance assistant technology
- · PIANO button for instant piano set-up
- Direct Access Button
- Registration Memory
- Internet Direct Connection
- Metronome
- 40W x 2 amplifier / speaker system
- SmartMedia Slot
- USB to HOST & USB to Device (1)
- Dual headphone jacks
- Three foot pedals
- Music clips
- Headphone Hanger

Yamaha Home | Shop Online | Products | Locate a Dealer | Service/Support | Artists | What's New | Search | Plancs & Digital Drums | Keyboards & Music Production | Guitars / Basses / Amps / Effects | Live Sound | Marching & Orchestral Percussion | Brass & Woodwinds | Accessories | Commercial Audio | Music Education | Product Catalogs | New Product Registration

http://www.yamaha.com/yamahavgn/CDA/ContentDetail/ModelSeriesDetail/0,,CNTID%2... 4/12/2007

Corporate Information | Related Links | Warranty/Safety Issues | Privacy Policy

© 2007 Yamaha Corporation of America. All rights reserved. Terms of Use and Copyright Notice

http://www.yamaha.com/yamahavgn/CDA/ContentDetail/ModelSeriesDetail/0,,CNTID%2... 4/12/2007

1-1

3



USA DEALERS

SUTHERLAND Sight and Sound	3906 N. Jackson Highway	Sheffield	AL	35660	(256) 381-1995	www.sutherlandsound.com
DYESS MUSIC CENTER	207 Cummings Ave.	Орр	AL	36467	(334) 493-7413	n/a
AUDIOMIDI.COM	9240 Deering Ave.	Chatsworth	CA	91311	(818) 993-0772	www.audiomidi.com
BANANAS AT LARGE	1504 Fourth Street	San Rafael	CA	94901	(415) 457-7600	www.bananas.com
COAST RECORDING	6223 Santa Monica Bivd.	Hollywood	CA	90038	(323) 452-6058	www.coastrecording.com
GUITAR SHOWCASE	3090 South Bascom Avenue	San Jose	CA	95124	(408) 377-5864	www.guitarshowcase.com
LEO'S PRO AUDIO	5447 Telegraph Ave.	Oakland	CA	94609	(510) 653-1000	www.leosaudio.com
PROFESSIONAL Sound & Music	4593 Mission Gorge Place	San Diego	CA	92120	(619) 583-7851	www.prosound.com
RSPE Audio Solutions, Inc.	4130 Cahuenga Blvd. #210	Toluca Lake	CA	91602	(818) 509-5876	www.rspe.com
SOUNDABOUTMUSIC, INC.	15326 Oxnard Street	Van Nuyn	CA	91411	(818) 908-8893	www.soundaboutmusic.com
THE DRUM CIRCUIT	280 Higuera Street	San Luis Obispo	CA	93401	(805) 543-0338	www.drumcircuit.com
THE STARVING MUSICIAN	1400 Ocean Street	Santa Cruz	CA	95060	(831) 426-1975	www.starvingmusician.com
WISE MUSIC	233 Monterey Street	Salinas	CA	93901	(831) 424-7885	www.wisemusicstore.com
WORLD OF STEREO	1080 Market Stront	San Francisco	CA	94102	(415) 626-1195	n/a
ZION MUSIC CENTER	14762 Beach Bivd.	Westminster	CA	92683	(714) 373-3976	www.zionmusiccenter.com
STARR'S GUITARS	250 W. Main Street	Cedaredge	00	81413	(970) 856-2331	www.starrsgultars.com
CALISTRO MUSIC	853 Rainbow Trail	Orange	101	06477	(203) 891-8918	www.calistromusic.com
LEITZ MUSIC CO, Inc.	650 North Beal Pkwy	Ft. Walton Beach	FL.	32547	(850) 863-1099	www.leitzmusic.com
MUSIC ARTS ENTERPRISES	3301 Davie Blvd.	Fort Lauderdale	FL	33312	(954) 581-2203	www.mae-music.com
SPACE MUSIC	13630 W. Dixie Highway	N. Miami	FL	33161	(305) 981-8945	n/a
THE MUSIC X-CHANGE	221 E. 3rd Avenue	Tallahassee	FL	32303	(850) 681-7443	www.musicxchange.com
ATLANTA PRO AUDIO	1776 NE Expressway	Atlanta	GA	30329	(404) 329-9494	www.atlantaproaudio.net
TED'S PRO MUSIC	250 John W. Morrow Jr. Pkwy	Gainesville	GA	30501	(770) 654-3669	
SWEETWATER SOUND INC.	5501 US Highway 30W	Fort wayne	IN	46818	(800) 222-4700	www.sweetwater.com
Professional Audio Design	357 Liberty Street	Rockland	MA	02370	(781) 382-2600	www.proaudiodesign.com
CREATIVE EJ, Inc	12340 Mt. Holly-Huntersville	Huntersville	NC	28078	(704) 875-2135	www.creativeej.com
S.E. SYSTEMS	2605 Phoenix Drive	Greensboro	NC	27406	(336) 544-2080	www.sesystems.com
STERLING GROUP	2118 Clinchfield Dr	Fayetteville	NC.	28304	(910) 829-0117	www.sterlinggroupnc.com
In MUSIC LOFT of Greensboro	2140 Lawndale Dr.	Greensboro	NC	27408	(336) 378-1068	www.themusicloft.biz
KITTLES MUSIC	106 East 5th	North Platte	NE	69101	(308) 532-2911	n/a
ALTO MUSIC	180 Carpenter Avenue	Middletown	NY	10940		www.aitomusic.com
DALE PRO AUDIO	22 West 19th Street 2nd Floor	New York	NY	10011	(212) 475-1124	www.daleproaudio.com
SuperDigital, Ltd.	1150 NW 17th	Portland	OR	97209	(503) 228-2222	www.superdigital.com
CENTURIONS Inc	136 Cross Creek Connector	Greenwood	SC	29649	(864) 943-2319	
FRONT END AUDIO	205 S. Prospect Street	Columbia	SC	29205	(803) 738-1222	www.frontendaudio.com
HAMES MUSIC, LLC	370 Peachoid Road	Gaffney	SC	29341	(864) 489-1166	www.hamesmusic.com
SIMS MUSIC	1110 ST. Andrews Road	Columbia	SC	29210	(803) 772-1185	www.simsmusic.com
CATES MUSIC CENTER	305 West Walnut Street	Johnson City	TN	37604	(423) 928-8821	www.catesmusic.com
MORRELL MUSIC	510 E. Center St.	Kingsport	TN	37660	(423) 247-9891	www.jeffsmusic.com
Professional Audio Solutions	1702 Eighth Avenue South	Nashvillo	TN	37203		www.professionalaudiosolutions.com
A-1 LIGHTING and SOUND	908 Bradbury Ct.	Arlington	TX	76014		www.A-1lightingandsound.com
CONCERT SOUND	530 W. 3rd St. # 1138	Austin	тх	78701		www.concertsoungusa.com
D SYSTEMS	483 W 38th St.	Nouston	TX	77018		www.ldsystems.com
MUSIC MAKERS AUSTIN	517 So. Lamar # B	Austin	тх	78704		www.musicmakersaustin.com
PACIFIC PRO AUDIO	200 First Ave, W Suite 502	Seattle	WA	98119		www.pacificproaudio.com

The USA eBay territory is represented EXCLUSIVELY by AAAUDIO for folks that don't have a dealer nearby...

More USA dealer listings coming soon....!

154

DISTRIBUTORS

Country	Company	Telephone	e-mail	website
BELGIUM	Uke Box Limited	(+32) - (0) 495 - 612 512	fillp@jukeboxitd.com	www.jukeboxitd.com
CANADA	Mountain Rythym, Inc	(905) 764-6543	ryan@mountainrythym.com	www.mountainrythym.com
CROATIA	SonarScope	+385 -(0)91 - 1331 461	emil@sonarscope.hr	www.sonarscope.hr
DENMARK	WaveHouse	(+45) 86 19 63 33	info@wavehouse.dk	www.wavehouse.dk
FINLAND	Soundata Oy	+358 - (0) 9 - 4769 3300	soundata@soundata.fi	www.soundata.fi
FRANCE	Juke Box Limited	+33 (0) 1 55 93 11 11	info@jukeboxItd.com	www.jukeboxitd.com
IRELAND	Stirling Trading UK Ltd	(+44) - (0) 20 - 8963 4790	info@stirlingtrading.com	www.stirlingtrading.com
ITALY	Grisby Music s.r.l.	(+39) - 071 721 1340	grisbymusic@grisby.it	www.grisby.it
LUXEMBOURG	Juke Box Limited	(+32) - (0) 495 - 612 512	filip@jukeboxitd.com	www.jukeboxitd.com
NEW ZEALAND	Oceania Audio Ltd	(+64) (9) 846 5533	nigelrus@oceania-audio.co.nz	www.oceania-audio.co.nz
NORWAY	Golden Age Music	(+47) 975 47 975	mail@goldenagemusic.no	www.goldenagemusic.no
POLAND	MusicToolz	(+48) - (0) 22 - 423 9096	office@musictoolz.pl	www.musictoolz.pl
PORTUGAL	Pedro Barreiros, Lda	+351 -22 -753 5653	pedrobarreiros@netcabo.pt	www.pedrobarreiros.com
SWEDEN	Golden Age Music	(+46) (0) 322 6650 50	proaudio@goldenagemusic.se	www.goldenagemusic.se
SWITZERLAND	Flyline Music	(+41) (0) 43 466.0115	Into@fiyline.ch	www.flyline.ch
UNITED KINGDOM	Stirling Trading UK Ltd	(+44) - (0)20 - 8963 4790	info@stirlingtrading.com	www.stirlingtrading.com

AVANT ELECTRONICS

Copyright © 2006 AVANT ELECTRONICS - All Rights Reserved All design, technical specifications and pricing are subject to change without notice.

CAPA Department Request

1	The Piranha (wireless 2 channel battery or AC PA system).	\$2975+Shipping ~
1	MEGA-DP Dual Mega Vox Pro Deluxe Package	\$1420
1	Wireless Handheld Microphone WH-6000	\$358-
1	Long Ranger 4	
1	Long Ranger 4 CH40 Battery Charger	\$30
1	Long Ranger 4 Microphone (HM162V)	
1	Long Ranger 4 (add a second wireless channel)	\$561
1	M-Audio Keystation USB MIDI Controllers(61es)	
1	Midisport USB Uno MIDI Interface	
8	Boss DB-90 Dr.Beat.	
8	Roland Boss TU-80 Tuner& Metronome	
1	The Peterson Strobe Center 5000	
1	McAdams Model 20 Metronome Tuning Note Reference	
1	FD-8: Hi-Hat Controller.	
2	CY-14C: V-Cymbal Crash	
2	PD-105: V-Pad	
2	MDY-10U: Cymbal Mount	
1	PDS-2: Pad Stand.	
1	RMP-5: Rhythm Coach	
1	TDA-700: V-Drums Amplifier	
1 M	lackie Onyx 24.4 Premium 24-Channel Analog Live Sound	
1	RMX1950 HD Power Amplifier	
1	EAW FR153z 15" 3-Way Speaker Cabinet	\$895
1	Stage Master Multipair Audio Cables	
1	Mackie SA 1532Z x2	
1	Presonus DigimaxFS	
1	15 Inch 2.33GHz Apple Macbook Pro	
1	Propellerhead's Reason 3.0	
1	Kong Triton Extreme 88	
1	M-Audio Keystation Pro 88	
1	Digidesign Mbox 2 Pro	
2	Hat Pedal	
2	FAT Pedal	\$200 \$400,00
12	Shurf WB98H/C Instrument Microphone	
1	Yamaha 01V96V2	\$2199.99
16	Avant Electronics(Multi-Pattern FET Condenser Microph	
1	Avant Electronics (CDMK-7, 7-Mics DRUM MIC KIT).	
		Total\$36,157

Piano-CVP-309PE Band Room

+ 3900.00 # 41,345.04 # 67,527.93 108,872.97 #



1

Date: 4/30/2007

To: Jennifer Long/Northwestern State University Phone: 318-357-6482

From: Scott Albarado (scotta@creativepres.com) Re: Quote for Band Room Smart Classroom

	Description	<u>Line #</u>	<u>*(</u>	Jnit Price	*Total Price
	State Contract #406245				
1	Creative Presentations - CPI-MMDSLEVEL5 - Multi-Monitor Display System Level 5 - system includes - Display Devices, multi- monitor control system, mounts for display devices, interface components, cables and connectors, and miscellaneous parts.	04007	\$	49,315.00	\$49,315.00
162	Professional Services(On-site Installation & Programming hours)	99777	\$	90.00	<u>\$14,580.00</u>
	Total without Extended Warranty				\$63,895.00
	Recommended Extended Warranty Option:				
1	Creative Presentations - One year extended warranty for system package	05005	\$	3,632.93	<u>\$3,632.93</u>
	Total With Extended Warranty				\$67,527.93
	Description on what will be included in the Above Room Solution:				
	 Two Bright 5500 Lumens Projectors with Long Throw Lenses & Wa Two Large 9 x 12 Wall Mounted Electric Screens with Low Voltage 21 Space Rack on wheels with locking front and rear doors Crestron Control System with Wireless Color Touchpanel and docki Multi-Media Equipment in room Large Audio Amplifier & Four Large 3 Way JBL Control 30 Speake VCR/DVD Combo Unit w/cable TV connection Wireless Combo RF Keyboard and Remote w/laser pointer For Own 	Controlle ng station ers	ers prog		control all

3639 Ambassador Caffery Pkwy, Suite 402, Lafayette, LA 70503 Phone (337) 406-0480 Toll Free (877) 406-0480 Fax (337) 406-0760 Corporate Office Phone (800) 4442480 Fax (504) 454-9535

ä