Student Technology Fee


Grant Proposal

2008.009

2007-08

Dr. Jim McCrory		
Approved	Denied	
Comment:		
Diana Hamilton		
(Approved -	Denied	
Comment:		
Gary Gatch		
Approved	Denied	
Comment:	· ·	
Mike McDonald		
Approved	Denied	
Comment:		
Dale Martin		
Approved	Denied	
Comment:	· · · · · · · · · · · · · · · · · · ·	

Student Technology Fee Grant Proposal Request Form Fiscal Year 2007-08



Northwestern State University of Louisiana

ALL BLANKS MUST BE FILLED COMPLETELY

Prepared by: David Antilley II and Mary Brocato For: NSU22/Journalism/Kyser Hall Rm 106
Department/Unit: Journalism College: Liberal Arts Campus: Natchitoches Main
Which NSTEP Goals/Objectives does this project meet? 1, 2, 3, 5 & 7
Requested equipment will be located/installed/housed? Building: Kyser Hall Room: 137
Are department property policies and procedures in place for requested equipment? Yes
Which individual will be responsible for property control of the requested equipment? David Antilley II and Adam Caldwell Signature:
Grant delivered to Student Technology located in Watson Library, Room 113. Date 10-31-07
The grant proposal must include all specifications, description, model number, quotation, cost, state contract number, and vendor for each item. If the proposal does not include all requested information, it will be retuned to requestor.
1. Describe target audience.
Northwestern State University journalism majors and minors as well as any non-journalism students (such as education majors seeking certification to teach journalism) taking classes in the Journalism Department are the target audience. Any Northwestern student using the classroom where the equipment is located. The citizens of the city of Natchitoches and the students of Northwestern State University who view NSU22.
2. Describe project/initiative for which you are requesting funds.
The students in the broadcast journalism classes will use the new equipment in the production of classroom assignments and projects. With the purchase of new digital equipment, we would be

able to provide students opportunities to train on state-of-the-art equipment and be competitive with students from other journalism and mass communication departments around the state and country. The new transmitter room will allow our picture that airs on Sudden Link Cable to look 100% better with no dropouts or distortion, and we will have the capability to store programs on the hard drive and be able to call them up at anytime for rebroadcast onto NSU22.

- 3. State measurable objectives that will be used to determine the impact/effectiveness of the project.
- A. Student projects and assignments will be used to determine the impact/effectiveness of the equipment.
- B. All students taking appropriate journalism classes will complete semester reviews of classes and teachers.
- C. All students taking classes in the Kyser Hall room 106 will complete semester reviews of classes and teachers.
- 4. Indicate how each project objective will be evaluated.
- A. Student projects and assignments will be used to determine the impact/effectiveness of the equipment.
- B. All students taking classes in Kyser Hall room 106 will complete semester reviews of classes and teachers.
- C. NSU22 staff will watch and listen to reviews of the programs and the quality of the output of NSU22 transmitter room.
- 5. If funded, which NSTEP http://www.nsula.edu/nstep/NSTEP.pdf objective(s) will this funding of this project advance. How will funding of the project advance the University and College/unit technology plan?

The objective that will be advance if these projects are funded include:

- 1. To improve access to technology by students, faculty, and staff at Northwestern State University. (Editing equipment in room 142C; transmitter equipment in room 137 and monitor in room 106 all in Kyser Hall.)
- 2. To provide classrooms with updated technology and multimedia. (Editing equipment in room 142C and monitor in room 106 both in Kyser Hall.)
- 3. To upgrade student technology laboratories with modern technology. (Editing equipment in room 142C of Kyser Hall.)
- 5. To upgrade and maintain the campus communication network and infrastructure. (Transmitter room in room 137 of Kyser Hall. The transmitter room is where NSU22 is transmitted out of to Sudden Link Cable.)
- 7. To establish processes that encourage technology initiatives by faculty, staff, and students. (Editing equipment in room 142C; transmitter equipment in room 137 and monitor in room 106 all in Kyser Hall.)

With the funding of these projects the university would be upgrading not only equipment for students' use but also the upgrade for the quality of production of NSU22. NSU22 can broadcast

over Sudden Link Cable 24 hours a day and can provide students and the citizens of Natchitoches any information that the university needs to broadcast. With the flip of a switch the president, the chief of police or any other emergency official can broadcast over the air. The upgrade will enable NSU 22 to transmit a broadcast quality product that will be seen and heard without any dropouts or distortion. The classroom 106 will be completed multimedia ready for faculty and student use and room 142C will be able to offer students an additional style of editing that they need to compete in the world of broadcast journalism.

6. Provide a justification for funding of this project. Estimate the number of student that will be served per academic year and in what ways. Please indicate also any unique needs of the target group.

If our students are to remain competitive for jobs in the journalism field, they need to learn not only the editing software that we use now but the software we are trying to obtain. Different companies use different software and if our journalism graduates can go into a job interview knowing both systems; that will give them an advantage over students from other universities that only teach one.

- A. Each semester over 40 students will use the editing equipment located in Kyser Hall room 142C to work on projects for there classes.
- B. Kyser Hall room 106 is used by not only the journalism department but also other departments on campus for teaching classes. The room is used around the clock every day of the school week. Average class size in this room is around 20 students.
- C. NSU22 is broadcast over Sudden Link Cable Company in Natchitoches and reaches about 10,000 households. NSU22 is watched by NSU students and the citizens of the city of Natchitoches. During Hurricane Rita, NSU22 aired around-the-clock weather information about the hurricane and its locations until the electricity failed and we were forced off the air. This was the only local weather information provided. NSU22 provided the citizens of this community and the students of NSU the information they need to help them plan for the hurricane. NSU22 was on the TV at the Chili's restaurant until we when off the air.
- 7. List those individuals who will be responsible for the implementation of the project/initiative and indicate their demonstrated abilities to accomplish the objectives of the project.
- A. David Antilley II, director of NSU22, and Adam Caldwell, broadcast technician, will be responsible for the editing equipment and transmitter room equipment. David has been at NSU since 1992 and has worked with TV equipment for more then 25 years. Adam has been at NSU since 2006 and has worked with TV equipment for more then 10 years.
- B. Mary Brocato is the broadcast director in the journalism department and has worked in the TV industry and education for more then 30 years.
- 8. Describe any personnel (technical or otherwise) required to support the project/initiative.

Student workers and practicum students will help the staff mentioned above with the day-to-day operation of the editing equipment and transmitter equipment.

- 9. Provide a schedule for implementation and evaluation.
- A. The equipment will be set up as soon as it is received by the department. The equipment will go into use as soon as it is set up and checked out to make sure everything is running correctly.
- B. Evaluations will take place as soon as students start using the equipment. Evaluations will be conducted weekly by the teachers in charge of the classes using the equipment and by NSU22 staff. Projects that the students will be working on include promotional videos for the departments on campus, university 30 second PSA's, news packages for NSU22 News, student produced documentaries and features in magazine format shows, and 30 minute student run talk show about NSU.
- 10. Estimate the expected life of hardware and software. Explain any anticipated equipment/software upgrades during the next five years.

The estimated lifespan of the equipment is about 7 to 9 years on the editors and 12 to 15 on the transmitter equipment. DVD machines might have to be purchased ever 4 to 5 years for the transmitter room equipment because of excessive wear and tear on the equipment. Upgrades for the editing equipment can always be purchased for the editing equipment if needed but none is required to do the basic editing we plan to utilize.

- 11. Explain in detail a plan and policy that will be in place to ensure property security/controls for any equipment received through a Student Technology Fee.
- If you are requesting equipment that will be either/or checkout to students or moved within the department, you must provide a checkout/loan policy.
- A. The equipment will be locked up in Kyser Hall room 142C at night and is not allowed outside of the room. The equipment is stationary equipment and not meant to be moved from the room.
- B. The transmitter equipment will be placed in Kyser Hall room 137 and will remain there around the clock. The room is only accessible to NSU22 staff.
- C. The monitor will be placed in Kyser Hall room 106 and be placed on the wall in the room. This monitor will be used with the upgraded equipment that was just installed in the room.

Attach two (2) letters of support for the project from the following individuals: the requesting department's Dean, the appropriate Vice President (for non-academic units), or the SGA President from the requesting campus (for student requests).

Student Technology Fee Grant Proposal Checklist:

_____ I s all information requested provided (items 1 – 11)?

_____ I s a detailed budget attached?

_____ I s all specifications, description, model number, quotation, cost, state contract number, and vendor provided for each item?

_____ Are your two (2) letters of support attached?

_____ I f equipment is to be checked-out/loaned, is your policy attached?



STUDENT GOVERNMENT ASSOCIATION

NORTHWESTERN STATE UNIVERSITY

A Member of the University of Louisiana System Natchitoches, Louisiana 318.357.4501

October 30, 2007

Student Technology Advisory Team:

I fully support the efforts of the Journalism Department to seek and obtain funding from the Student Technology Fund to upgrade their broadcasting equipment. This project would be most beneficial to our students and will allow our students to be trained on current technology that will make them more competitive in their field of study after graduation.

Respectfully Yours,

Shayne Creppel

President

Northwestern State University Student Government Association

JON EMANS



Office of the Dean

Telephone (318) 357-5851 FAX (318) 357-5019 E-mail: grad_school@nsula.edu http://www.nsula.edu/graduateschool/

The Graduate School

Northwestern State University Natchitoches, Louisiana 71497

A Member of the University of Louisiana System

October 29, 2007

Office of Student Technology Room 113D, Watson Library Northwestern State University

To Whom It May Concern:

As acting dean of the College of Liberal Arts, I would like to offer this letter of support for the Journalism Department's request for the attached funding grant from the Office of Student Technology.

Our broadcast journalism department must frequently update its technology in order to stay on the cutting edge of broadcast journalism. To do this is quite expensive and requires almost annual updating of the broadcast equipment. If our broadcast journalism graduates are going to successfully compete in the market place, they must have the latest equipment upon which to hone their production skills.

This grant proposal requests funding for new digital equipment for our transmitter room that will enable the university to transmit a high definition, digital picture to Sudden Link cable without any distortion or dropouts in the picture quality. We have the digital equipment in our studio control room but are unable to transmit anything but an analog signal, which, frankly, is in the dark ages now.

The department is also requesting additional editing and production equipment for students to train on. To be competent journalists, the students will use this digital production equipment for training. When they graduate, they will have learned the videography and editing skills they needs to achieve successful broadcast careers.

My understanding is that student technology grant monies are to be used to enhance the abilities of NSU students to access and assimilate information that will further their professional competencies and provide state of the art technology in their field. All of this equipment does that, and I fully support the Department of Journalism in their search for funding to update and improve the skills of NSU students. I hope you will fund their proposal.

Sincerely,

Steven G. Horton, Ph.D.

Stever 6. 1th

Dean

Associate Provost

Budget for Grant Proposal

Total Price	\$7,995.00	\$1,198.00	\$110.00	\$100.00	\$125.00	\$2,196.00	\$1,200.00	\$320.00	\$452.00	\$1,170.00	\$14,998.00	\$29,864.00
Unit Price	\$7,995.00	\$599:00	\$110.00	\$50.00	\$125.00	\$549.00	\$1,200.00	\$320.00	\$452.00	\$90.00	\$7,499.00	Total Cost:
Description	LeighTronix Nexus System	500 Gigabyte USB Hard Drive (for Nexus)	Rack Mount Kit for Hard Drive (for Nexus)	Dyply Interface Cables (for Nexus)	PRO-BUS Adaptor (for Nexus)	Tascam DV-D01U Single Disc DVD Players (for Nexus)	Creative Presentations 32" LCD Monitor	Creative Presentations Display Mount	Miscellaneous Peripherals	Professional Services (Installation & Programming)	Final Cut Pro Editor	
Item Quantity	1	2	1	2	1	4	1	1	1	13	2	
Item	1	2	3	4	5	9	7	∞	6	10	7	

LeighTronix Routing System

LeighTronix Nexus System

http://www.leightronix.com/pdf/LEIGHTRONIX Product Pricing July 1, 2007.pdf \$7995

http://www.leightronix.com/products.htm#tblNEXUS

- Two MPEG Playback (Decoder) Channels
- One MPEG Record (Encode) Channel
- Simultaneous Playback and Recording on all Channels
- MPEG File Transfer via Gigabit Speed Ethernet
- External USB Hard Drive Storage up to One Terabyte
- Automated Backup of Digital Media and System Files
- Two Channels of Digital Video Messaging
- Video Graphic/Text Overlay
- Emergency Messaging Graphic/Text Overlay
- Onscreen Program Guide
- Online Program Guide
- Web Interface with Remote Slide Creation and Management
- DVply Control for Two DVD Players with Title: Chapter Access
- Four Integrated Infrared Device Control Ports IR Transmitters Included!
- PRO-BUS Machine Control for up to 16 DVD Players/VCRs
- Internal Video/Audio Routing Switcher and Control for External Routing Switchers
- WinLGX Software Included
- Drag and Drop Scheduling Interface with Error Checking and Conflict Reporting
- Comprehensive Resource Library with Support for Mixed Media Format MPEG, JPEG, DVD, and Videotape

2 – 500 Gigabyte USB Hard Drive LGX-HD500-GT \$1198 (\$599 per drive)

1 – Rack Mount Kit for Hard Drive (Will house both drives) LGX-HDRK-GT \$110

2 – DVply Interface Cable LGX-DVply http://www.leightronix.com/pdf/LEIGHTRONIX Product Pricing July 1, 2007.pdf \$100 (\$50 per cable)

1 – PRO-BUS Adaptors

PRTADVD for Tascam DV-D01U Commerical Single Disc DVD Player http://www.leightronix.com/pdf/LEIGHTRONIX_Product_Pricing_July_1, 2007.pdf \$125

For maximum flexibility within an automated system, the LEIGHTRONIX PRO-BUS provides control for a wide range of devices, including DVD players and VCRs. The PRO-BUS is supported by all current LEIGHTRONIX controllers.

- Four-Function Control (PLAY, STOP, REWIND, and RECORD)
- Individual or Combined Addressing for Group Control
- Interface Types
 - Infrared (Adhesive Ring)
 - Wired (Mini-Plug and RCA-Plug)
 - Parallel (Multi-Pin)
 - Serial (RS-422)

4 – Tascam DV-D01U Commerical Single Disc DVD Players \$2196 (\$549 per player)

The Tascam DV-D01U is a rack-mountable disc player capable of reading and playing a wide variety of file formats, including DVD, DVD Audio, CD-DA, Mp3, WMA, WAV, DivX, MPEG-2, and more! Most importantly is a RS-232 interface, allowing the unit to be controlled remotely in a studio environment.

Total Cost of System: \$11,724

LEIGHTRONIX, INC.

Video Servers Television Automation


HOME PR

PRODUCTS

NEXUS MINI-T-NX TCDAV3 TCD/NX **NET-164** NET-EC MINI-T-NET

PLUS-BUS

PRO-BUS



NEXUS

The LEIGHTRONIX NEXUS® is truly an innovation in playback automation, combining digital video server technology, DVD and VCR control, video/audio switching/routing, and digital video messaging in one compact and affordable package. Fully integrated digital video recording and dual channel playback with support for legacy equipment is now within reach for any cable or broadcast television operation at an affordable price.



- Two MPEG Playback (Decoder) Channels
- One MPEG Record (Encode) Channel
- Extended Length Digital Recording Record Continuously at High-Quality MPEG-2 Video/Audio bit Rates for up to 24 hours!
- Simultaneous Playback and Recording on all Channels
- MPEG File Transfer via Gigabit Speed Ethernet
- External USB Hard Drive Storage up to One Terabyte!
- Support for a Wide Range of USB Storage Solutions Including Inexpensive **RAID Configurations**
- Automated Total Backup™ of Digital Media and System Files
- Two Channels of Digital Video Messaging
- Video Graphic/Text Overlay
- Emergency Messaging Graphic/Text Overlay
- Onscreen Program Guide
- Online Program Guide
- Web Interface with Remote Slide Creation and Management
- DVply Control for Two DVD Players with Title: Chapter Access
- Four Integrated Infrared Device Control Ports IR Transmitters Included!
- PRO-BUS Machine Control for up to 16 DVD Players/VCRs
- Internal Video/Audio Routing Switcher and Control for External Routing **Switchers**
- WinLGX Software Included
- Drag and Drop Scheduling Interface with Error Checking and Conflict Reporting
- Comprehensive Resource Library with Support for Mixed Media Format MPEG, JPEG, DVD, and Videotape



NEXUS Digital Upgrade Success Stories

- St. Clair Cable 6
- **Whitewater Community Television**
- Stony Brook Student Television































MINI-T-NX

LEIGHTRONIX introduces a new MINI-T event controller with digital video storage and playback, the MINI-T-NX. Like its predecessors, this fourth generation controller is truly affordable for any television operation, enabling those with limited budgets to take advantage of the many benefits





NEXUS

Video Server/ System Controller

Unattended, Digital Video Playback Automation 24/7

Capture Your Audience

Video is a powerful tool for effectively communicating the messages of local broadcast and cable networks. The NEXUS® offers flexibility in video system control, allowing your organization to immediately broadcast an urgent message or activate a schedule for unattended playback automation. Inform, instruct, entertain, and alert viewers anytime, 24 hours a day, 7 days a week.

Create a Professional, On-Air Presence

Take part in the digital video revolution with the MPEG playback and recording capabilities of the NEXUS. With the NEXUS, you can capture digital video content on the fly, import edited digital video files, and even transform videotape/DVD media into MPEG video files automatically. Your channel takes on a new dynamic look as the NEXUS synchronizes digital MPEG program playback with video messaging, allowing you to incorporate bulletin boards, information overlays, program guides, and more.

Simplify Automation Control


Conveniently manage the NEXUS from anywhere your network extends or the Internet with the included, user-friendly control software and Web interface. The network management software allows you to immediately take control of your system and create conflict-free broadcast schedules for unattended playback. Your devices, media resources, and channels are automatically cross checked for scheduling conflicts by the management software. Through the NEXUS Web interface, authorized users with an Internet connection can import and create digital video messaging slides and reserve MPEG videos for playback.

Stay within Budget

The NEXUS is designed to meet both the needs and the budgets of local television operations. With its unique, all-in-one design, the NEXUS will help you save on your station automation investment without compromising on functionality or features. The NEXUS handles mixed media formats with ease and offers scalable digital video storage. Avoid the hassle and expense of integrating add-ons into your video system.











Affordable Versatile Reliable
Cable and Broadcast Solutions

LEIGHTRONIX, INC.

Video Servers Television Automation

The NEXUS is fast becoming one of the most popular automation solutions for local broadcast, cable access, and private in-house communication networks. Discover why so many television stations have made the transition to digital with the NEXUS.



A Complete Video Server Solution

The NEXUS* is a complete server solution, providing all of the necessary features and functions for successful unattended channel operation.

- Video Server
- DVD Controller
- VCR Controller
- Video/Audio Switcher
- Video Messaging System







A Partner You Can Trust

LEIGHTRONIX has over 20 years of experience in development, manufacturing, sales and support of specialized video control equipment and digital video products. Thousands of satisfied customers have learned the advantage of choosing a vendor with the experience, know how and commitment to superior product accompanied by unmatched factory support.

- Toll-Free Technical Support for the Life of the Product
- Online Support via WebEx
- Free Product Updates
- Product Safety and Compliance
- Five-Year Warranty









Need More Information?

Visit our Web site, www.leightronix.com, for additional product information. Want to see our products in action? Call us toll-free at (800) 243-5589 and schedule a live, online software demonstration.

sales@leightronix.com

www.leightronix.com (800) 243-5589

2330 Jarco Drive

Holt, MI 48842

Phone (517) 694-8000 Fax (517) 694-1600



Home Products Support Press About Dealers Store Global

CD / DVD PLAYER

Home >> Products >> Contractor >> CD / DVD Players

DV-D01U



Overview

Specifications

Resources

Images

The **DV-D01U** is a 1U rack-mountable single disc player with a powered loading tray. The DVD player reads DVD Video, DVD Audio (2-channel only), Video CD, CD-DA, MP3, WMA, WAV, JPEG, ASF, MPEG-2/MPEG-1, and DivX. The player is capable of playing back properly finalized DVD +R/+RW discs.

Outputs consist of HDMI audio/video out and Composite, S-Video, and Component video outputs. Rear panel stereo outputs are unbalanced (RCA) and digital outputs are optical. Digital outputs can pass Dolby Digital and DTS surround streams for later decoding.

The DV-D01U performs multiple playback modes, including slow motion and frame by frame playback, power on play, aspect adjustment, selectable scan mode, tray-lock, FVPP, and Progressive Scan. When stopped the DVD player output is black.

The DV-D01U provides extensive bi-directional RS-232 serial control. I/R remote control included. DV-D01U is equipped with a screen saver function and defeatable On-Screen Icons. The unit is also able to play "finalized" +R/+RW (video format discs only). The TASCAM DV-D01U is HDCP compliant.

Feat

You v contr you c it. Pu limits an au FireO

GA-31 amp comb ultima practi

The U
High-I
Recor
with 6
drive

CD-RI CD-RV Record RS-23 Baland I/O, all Digital robust

Produ

Pro
Con
Rec
Peri

Con

Acc

Dea



Home Products Support Press About Dealers Store Global



Home >> Products >> Contractor >> CD / DVD Players

DV-D01U



Overview

Specifications

Resources

Images

General

- Power requirements:
 - o AC 120V, 60Hz (US, Canada, Mexico)
 - AC 230V, 50Hz (Europe)
 - O AC 230V, 50Hz (Australia)
- Power consumption: 11W (at operation) 0.2W (in standby mode)
- Dimensions (W x H x D): 19" x 2" x 10.6" (482 x 51 x 269 mm)
- Weight: 5.1 lbs (2.3 kg)

Audio section

- Analog output:
 - O Audio out: -8 dB/1 kØ
- Digital output*:
 - O Digital out (optical): -21 dBm to -15 dBm (660 nm ± 30 nm)
 - * Corresponding to Linear PCM, Dolby Digital, and DTS Digital Surround (with sampling frequency 32 kHz, 44.1 kHz, 48 kHz)

Video section

- · Video system: NTSC
- Horizontal Resolution: 500 lines
 Signal-to-Noise Ratio: 64 dB
- Video output level
- Composite: 1.0 V(p-p)/75Ø
- S-video-Y: 1.0 V(p-p)/75Ø
- S-video-C: 0.286 V(p-p)/75Ø
- Component-Y: 1.0 V(p-p)/75Ø
- Component-Pb/Pr: 0.7 V(p-p)/75Ø

HDMI

• HDMI Output (Ver. 1.1): HDMI

Featured Products

» FireOne

You want control, now have it. Pushing the lin what an audio interfact the FireOne

» GA-30CD

GA-30CD guitar amp co combo - the ultimate plamp solves many issue

DV-RA1000HD

The Ultimate High-Definition Recorder. Now with 60GB hard drive



CD-RW901SL

CD-RW901SL CD Record RS-232, Balanced XLR I AES Digital I/O and feat robust slot-loading trans

Product Categories

- Pro Audio
- >> Computer Products
- Recording
- >> Performance
- Contractor
- Accessories
- Legacy
- **Dealer Finder**

RS-232C

• Serial command: 9-Pin D-SUB

Home | Registration | About TASCAM | Contact Us | Privacy Policy | Terms and Conditions
© Copyright TASCAM, 2007. All rights reserved.



800.606.6969 / 212.444.6615 The Professional's Source

Login/Register | My Account | Track Order | Help Center | Live Help | Wish List

Lighting & Studio	Audio Professional	
Portable Entertainment	Binoculars & Scopes	\$00.60
Projection & Viewing	Books & Tutorials	800.606.6969 / 212,444.6615
n & Underwater Equipment	rials Photo Gear Solut	.444.6615
nt Video	Computers & Dark Solutions Equi	
Video Profession	Darkroom Equipment	Gearch
used Equipmen	Digital Photography	And the first of the contract
3mh	Film, Tapes & Media	All Products
Items: (0) Total: \$0.00	Film, Tapes & Home Media Entertainment	8

Home « Professional Video « Post Production « VCRs, DVDs & Accessories « VCRs & DVDs « CD/DVD Players & Recorders

on purchases over \$100 with BBIIIMoLator View Disclosures	MISCE IN THE PROPERTY OF THE P		при	Catalogs & SourceBooks
No Payments for 90 Days!	NOP			Upcoming Events
Add to Wishlist				Resources:
Add to Cart	Quantity 1			rederal customers
In Stock	Availability:	durite a review	enlarge	
\$549.00	Our Price:			More Help Info
	Mfr# DV-D01U • B&H# TADVD01U			Sales Tax
תמווסנפ כטוומטו, חטכר	Compliant		A abara	Return & Exchange
able Studio DVD Play	Tascam DV-D01U Rack Moutable Studio DVD Player			Contact Us
	TASCAM			Help Center:
	email aprint			Shop PayPal using

The **Tascam DV-D01U** is a rack-mountable disc player capable of reading and playing a wide variety of file formats, including DVD, DVD Audio, CD-DA, Mp3, WMA, WAV, DivX, MPEG-2, and more! Most importantly is a RS-232-interface, allowing the unit to be controlled remotely in a studio environment.

Affiliate Program **B&H Newsletter Product Resources** The N.Y. Super Store

Features *

Specifications

Item Includes



1-800-222-4700 Forums | Careers | inSync News | Wish List | Order Status | Help / Support ▼

What's Milesy DEALZONE

EXPERT Center

Guillo / Gallery Sharkett, a.a.

CART

2

BOOKSAYIDEOS

COMPUTER AUDIO GUITAR

BASS

KEYBOARD

Balles

TIME SOUND

ACCESSORIUS

SEARCH

RECORDER.

Go!

SHOP BY BRAND

ANTHA ...

FREESHIPPING
NO MINIMUM PURCHASE DETAILS .

Studio & Recording > 2-Track Recorders / Players > DVD Players/Recorders > TASCAM DV-D01U

FASCAM DV-D01U

Rackmountable, Professional Multi-format DVD and Audio Player with RCA, S/PDIF, Coaxial, and S-Video Outs

TASCAM





ItemID: DVD01U Retail Price: \$649.00

SAVE \$99.03 (15%) WHEN YOU BUY TODAY!

SALE PRICE:

\$549.97

ADD TO CART

Add the DV-D01U to Your Wishlist

Oops! We're Out Of Stock, But Just For A

Moment!

Customers also looked at... Payments as low as \$17/ mo. Billimator Details

Similar Items



High-Res Master Recorder \$1299.97 TASCAM DV-RA1000

» View all TASCAM

» View all DVD Players/Recorders

RESEARCH THIS PRODUCT:

DV-D01U Details:

DV-D01U Description

- Be the first to review this product

DV-D01U Media Library:

DV-D01U DESCRIPTION

your order now. We will ship it immediately, the very our warehouse within a day or two. Go ahead, place right now. We're on top of it and more should arrive in This item is normally in stock at Sweetwater, but not

same day we receive it from TASCAM

A Versatile DVD and Audio Player in One Rackspace!

DA, MP3, WMA, WAV, and video CD to name a few) and fits into one rack space. Output options include unbalanced RCA, coaxial and optical S/PDIF, S-Video, and component video. The DV-D01U also features Dolby and DTS digital surround, HDMI (High Definition Multimedia Interface), Timer Play function, and progressive scan. You'll find a ton of features packed into an efficient, great-sounding professional unit with the The TASCAM DV-D01U professional DVD player lets you play an exhaustive number of formats (DVD, CD-



(1) Additional Image

Discuss this product! Ask questions, get answers about the TASCAM DV-D01U in Sweetwater's

Have More Questions?

Control Room Forum.

click here to email a Call toll-free (800) 222-4700 or

Sweetwater Sales Engineer about the TASCAM DV-D01U



TASCAM DV-D01U.

TASCAM DV-D01U Professional DVD Player Features:

- 1U rackmountable Playable formats: DVD VIDEO, DVD Audio, VIDEO CD, CD-DA MP3, WMA, WAV, JPEG, ASF, MPEG-2/MPEG-1, DivX
- Outputs: RCA unbalanced stereo, component video, coaxial and optical S/PDIF digital, and S-Video Dolbly and DTS digital surround
- HDMI (High Definition Multimedia Interface

audio player! The TASCAM DV-D01U is a professional, rackmountable, and versatile DVD and

More DVD Players/Recorders from TASCAM:

TASCAM DV-RA1000 HD

TASCAM DV-RA1000

View All Products from TASCAM

Tell a Friend About the DV-D01U!
Print This Page

About Sweetwater

- Why Sweetwater Our History
- Customer Testimonials
- Photos of New Headquarters

Additional Services

Sweetwater Deals! Sign up for weekly email offers:

- Publications Gift Certificates
- Special Financing
- Sell Your Used Gear

Enter your e-mail

Benefits & Policies

Free Shipping on Most Orders

Safe Shopping Guarantee

- Unsubscribe | Learn More »
- Join
- **Customer Support**
- Return Policy Track Your Order
- Sweetcare 24/7 Support

We Protect Your Privacy Shipping & Delivery Times

Why Not You Shop Here, Work Here? Learn More!

ublications Sign Up Today! O





Careers | Events & Seminars | Recording Studio | Trading Post | Download | Links | Press Releases | Contact Us

Sweetwater Sound, Inc. 5501 US Hwy 30 W Fort Wayne, IN 46818

Hours: Mon-Fri 9-8, Sat 9-6 Eastern Current Sweetwater time is 2:06 PM Get Directions

Toll-Free (800) 222-4700 Local (260) 432-8176 Fax (260) 432-1758

View Cart | My Account | Help | Wishlist | Gift Center | Catalog Quick Order

1-800-391-8762 · OPEN 24/7

On Most Orders Over \$29 Clearance

Quick Find: Articles | Reviews | Videos | Newsletter | Catalog | Platinum Members | Site Map

Guitar Bass Keyboards Drums & Percussion Live Sound Recording DJ & Lighting Band & Orchestra Accessories Books & Video Offstage Gift Certificates!

TASCAM DV-D01U Rackmountable Single Disc DVD Player

Home » Vault

Search...

In-Stock & ready to ship! **List Price:** \$649.00 **Savings:** \$100.00(15%) \$549.00 -or- \$17/mo. - Apply!

Add to Cart

Add to Wishlist

This product ships to Canada.

RESEARCH CENTER

Manufacturer Warranty

This Item Ships Free!

Our Return Policy

WHY BUY?

View Warranty

Resources

Musician's Friend Buying

HELP & SUPPORT

45/45 Satisfaction Guarantee

Call 800-391-8762 Chat with an expert

Email questions & comments

options Tascam build quality with a host of playback and format

powered loading tray. The DVD player reads DVD Video, DVD Audio (2-channel only), Video CD, CD-DA, MP3, WMA, WAV, JPEG, ASF, MPEG-The TASCAM DV-D01U is a 1U rack-mountable single disc player with a

Be the first to write a review!

2/MPEG-1, and DivX. The player is capable of playing back properly finalized DVD +R/+RW discs.

Outputs consist of HDMI audio/video out and Composite, S-Video, and Component video outputs. Rear panel stereo outputs are unbalanced (RCA) and digital outputs are optical. Digital outputs can pass Dolby Digital and DTS surround streams for later decoding.

The DV-D01U DVD Player performs multiple playback modes, including slow motion and frame by frame playback, power on play, aspect adjustment, selectable scan mode, tray-lock, FVPP, and Progressive Scan. When stopped the DVD player output is black.

The TASCAM DV-D01U provides extensive bi-directional RS-232 serial control. I/R remote control included. DV-D01U is equipped with a screen saver function and defeatable On-Screen Icons. The unit is also able to play "finalized" +R/+RW (video format discs only). The TASCAM DV-D01U is HDCP compliant.

TASCAM DV-D01U Rackmountable Single Disc DVD Player Features:

- General
- Power requirements: AC 120V, 60Hz (US, Canada, Mexico)
- Power consumption: 11W (at operation) 0.2W (in standby mode)
- Dimensions (W x H x D): 19" x 2" x 10.6" (482 x 51 x 269 mm)
- Weight: 5.1 lbs (2.3 kg)

Audio section

- Analog audio out: -8 dB/1 k□
- Digital output (optical): -21 dBm to -15 dBm (660 nm ñ 30 nm).
 This corresponds to Linear PCM, Dolby Digital, and DTS Digital
 Surround (with sampling frequency 32 kHz, 44.1 kHz, 48 kHz)

Video section

- Video system: NTSC
- Horizontal Resolution: 500 lines
- Signal-to-Noise Ratio: 64 dB
- Video output level

Composite: 1.0 V(p-p)/75□

S-video-Y: 1.0 V(p-p)/75□

S-video-C: 0.286 V(p-p)/75□

Component-Y: 1.0 V(p-p)/75□

Component-Pb/Pr: 0.7 V(p-p)/75□

HDMI Output (Version 1.1): HDMI

RS-232C Serial command: 9-Pin D-SUB

total satisfaction guarantees! Order today with the protection of our 45-day lowest price and

Employment Opportunities About Us About

Site Map International Customers iBienvenidos!

Platinum Membership

Gift Certificates

Sweepstakes & Gear Giveaway

Affiliate Program E-mail Newsletters Free Catalog

Help & Contact

Trust

Services

E-mail Unsubscribe Track Your Order Contact Us Help Center


Terms of Use Your Privacy Rights Low Price Guarantee Return Policy Terms and Conditions Testimonials

Entire contents Copyright © 2007 Musician's Friend Inc.

Musician's Friend is a registered trademark of Musician's Friend Inc. All Rights Reserved.

Publisher does not accept liability for incorrect spelling, printing errors (including prices), incorrect manufacturer's specifications or changes, or grammatical inaccuracies in any product included in the Musician's Friend catalog or website. Prices subject to change without notice.

Top Of Page



Dro wocho lighting-

www.midweststereo.com (900) 975-1613 | Free Shipping Available





Midwest Stereo's Price Match Guarantee We will match or beat ANY advertised price



Proof of advertisement required.

Store & Staff **Policies**

Midwest Stereo

Videos & Pic's

Tascam DV-D01U

FASDVD01U

Authorized Dealer Info

Price Match Form Midwest Services **Manufacturers**

Midwest Stereo Forums

\$549.00

Package Deals HOT!

Departments

DJ Gear

ive Gear





Seen a better price, or want to make us an offer? Click Here!

The DV-D01U is a 1U rackmountable single disc player with a powered loading tray. The DVD player reads DVD Video, DVD Audio (2-channel only), Video CD, CD-DA, MP3, WMA, WAV, JPEG, ASF, MPEG-2/MPEG-1, and DivX. The player is capable of playing back properly finalized DVD +R/+RW discs.

еВау Rebates

Company Info

Cases & Racks

Keyboards

Studio

Lighting

Accessories

DTS surround streams for later decoding. stereo outputs are unbalanced (RCA) and digital outputs are optical. Digital outputs can pass Dolby Digital and Outputs consist of HDMI audio/video out and Composite, S-Video, and Component video outputs. Rear panel

The DV-D01U performs multiple playback modes, including slow motion and frame by frame playback, power on play, aspect adjustment, selectable scan mode, tray-lock, FVPP, and Progressive Scan. When stopped the DVD player output is black.

Site Security Info

CETED

Employment

Establishments

Awards Contact About

Link Exchange

The DV-D01U provides extensive bi-directional RS-232 serial control. I/R remote control included. DV-D01U is equipped with a screen saver function and defeatable On-Screen lcons. The unit is also able to play "finalized" +Rt#RW (video format discs only). The TASCAM DV-D01U is HDCP compliant.





::Shop By Brand:: *

Search

層 Your Shopping Cart

Product Videos

Get Quicktime Here!
Right Click' On Link & "Save Target
As" to Download Video or Click to



Whats New in Live Live 6 & Djing

American is Mania SCX **Martin**



Martin CH302A

Demo Software



Reaktor 5 Demo Windows Battery 3 Demo Mac OSX Mac OSX Windows



Final Cut Pro Editor

Final Cut Pro Studio/Customized Mac Pro Turnkey System http://www.bhphotovideo.com/c/product/459975-
REG/B_H_Photo_Final_Cut_Pro_Studio_Customized.html

\$7,499 Each

Final Cut Pro Studio/Customized Mac Pro Turnkey System - 3.0Hz Dual Intel Dual-Core Xeon 5100 Series CPU, 5GB (2x512MB, 4x1GB) RAM, 1TB (2x500GB) SATA Hard Drive, 500GB External RAID 0, 16x Dual-Layer SuperDrive, ATI Radeon X1900 XT 512MB Graphics, Airport Extreme, Bluetooth 2.0+EDR, Mac OS X 10.4 Tiger, 3-Year AppleCare.

The Final Cut Pro Studio/Customized Mac Pro Turnkey System is custom built by B&H to take your creativity to the next level. Built around the Mac Pro desktop workstation, the system comes pre-installed with Apple's Final Cut Studio 5.1 editing suite.

The turnkey system is powered by the Mac Pro which is driven by an Intel Dual-Core Xeon 5100 CPU at 3.0 GHz, 5 GB RAM, ATI Radeon X1900 XT graphics with 512 MB memory and 1 TB of internal disk storage spread across dual 500 GB 7200 rpm SATA hard drives. An additional 500 GB of storage is added in the form of a G-Raid2 by G-Technology, giving the computer a total 1.5 TB of storage capacity.

The system comes pre-installed with the Final Cut Studio 5.1 software suite, which includes the popular Final Cut Pro, Soundtrack Pro, Motion 2 and DVD Studio Pro 4 applications. Training discs for both Mac OS X and Final Cut Studio are included as well. A color-coded keyboard for use with Final Cut Pro is also included to make editing work go more smoothly.

Professional editors understand the importance of concentrating on their work rather than tinkering with a computer to get it working correctly. This B&H turnkey system will let editors do what they do best: edit. A 3-year AppleCare protection plan is included on the notebook and B&H backs the system with a full year of technical support, ensuring that your system will run smoothly and allowing you to concentrate on your work.

Total Cost of both Editors: \$14,998



800.606.6969 / 212.444.6615 he Professional's Source

Login/Register | My Account | Track Order | Help Center | Live Help | Wish List

All Products

Lighting & Studio	Audio Professional
Portable Entertainment	Binoculars & Scopes
Projection Viewing	Tutorials
& Underwate Equipment	Cameras & Photo Gear
er Video Consume	Computers & Solutions
Video Profession	Darkroom Equipment
used Equipmer	Digital Photography
₩	Film, Tapes & Media
Items: (0) Total: \$0.00	Home Entertainment

Home « Professional Video « Post Production « Computer Video « Mac Based Solutions » Video Editing « Options & Accessories «Turnkey Systems «Turnkey Solutions & Add-Ons « Mac Based Turnkey Systems

Shop now Buren PayPal

Help Center:

Contact Us

Return & Exchange

Hours of Operation

Sales Tax

More Help Info...

Federal Customers

Resources:

Upcoming Events

Catalogs & SourceBooks

The N.Y. Super Store

Product Resources

Affiliate Program **B&H Newsletter**

Gift Cards

Accessories

Features

Specifications

Item Includes

Open Box Specials

Rebates & Promotions



] enlarge

write a review



1 of 89 🗷 View List (I) Print

2.0+EDR, Mac OS X 10.4 Tiger, 3-Year AppleCare 5100 Series CPU, 5GB (2x512MB, 4x1GB) RAM, 1TB B&H Photo Final Cut Pro Studio/Customized Mac Pro XT 512MB Graphics, Airport Extreme, Bluetooth 0, 16x Dual-Layer SuperDrive, ATI Radeon X1900 Turnkey System - 3.0Hz Dual Intel Dual-Core Xeon (2x500GB) SATA Hard Drive, 500GB External RAID

B&H# APFCSMP4

B&H Kit

Price:

\$ 7,499.95

Calculate Shipping:

Requires Installation

Availability:

Important Notice!

This item requires custom installation, Please allow 5-7 days ADDITIONAL for delivery. You will be charged upon placing your order.

Quantity 1

M Add to Cart

Add to Wishlist

Balli Malabar View Disclosures on purchases over \$750 with No Payments for 6 Months!


The **Final Cut Pro Studio/Customized Mac Pro Turnkey System** is custom built by **B&H** to take your creativity to the next level. Built around the Mac Pro desktop workstation, the system comes pre-installed with Apple's Final Cut Studio 5.1 editing suite.

Sign up for B&H news
and special offers

Register Now

Enter Email Address

Brasil



form of a G-Raid2 by G-Technology, giving the computer a total 1.5 TB of storage capacity. The turnkey system is powered by the Mac Pro which is driven by an Intel Dual-Core Xeon 5100 CPU at 3.0 GHz, 5 GB RAM, ATI Radeon X1900 XT graphics with 512 MB memory and 1 TB of internal disk storage spread across dual 500 GB 7200 rpm SATA hard drives. An additional 500 GB of storage is added in the

The system comes pre-installed with the Final Cut Studio 5.1 software suite, which includes the popular Final Cut Pro, Soundtrack Pro, Motion 2 and DVD Studio Pro 4 applications. Training discs for both Mac OS X and Final Cut Studio are included as well. A color-coded keyboard for use with Final Cut Pro is also included to make editing work go more smoothly.

technical support, ensuring that your system will run smoothly and allowing you to concentrate on your 3-year AppleCare protection plan is included on the notebook and B&H backs the system with a full year of Professional editors understand the importance of concentrating on their work rather than tinkering with a computer to get it working correctly. This B&H turnkey system will let editors do what they do best: edit. A

TESTED DAILY 29-DCT

Key Features

Expertly Designed and Configured

fully-compatible hardware and software. field of audio/video. It is expertly designed, configured and tested to optimize your productivity with This turnkey system has been custom built and rigorously tested by a leading team of engineers in the

Hardware Bundle

Customized Mac Pro Desktop Computer Workstation

professionals, photographers and graphic designers. workstation. The system is built for professionals in mind and is an ideal computer for video The Customized Mac Pro Desktop Computer Workstation from Apple is the company's premiere desktop

capacity, Apple's 16x SuperDrive DVD burner with dual-layer disc support, Airport Extreme wireless networking, Bluetooth 2.0+EDR for wireless device interfacing and ATI Radeon X1900 XT graphics with 512 MB of memory. it an ideal solution for mission critical applications. The system also boasts 5 GB of RAM, 1 TB hard drive This "Quad Core" configuration gives you up to four times the processing power of a single CPU, making The system is powered by 2 dual-core Intel Xeon 5100 CPUs running at a clockspeed of 3.0 GHz each.

pre-installed on the computer. Spotlight, Dashboard, Mail, iChat AV, Safari, QuickTime and iCal. You'll also be happy to know that iLife the Xeon processors that form the heart of the system. Tiger includes such software applications as '06, the popular digital life suite that includes iTunes, iPhoto, iMovie HD, iDVD, iWeb and GarageBand is Apple has pre-installed Mac OS X 10.4 "Tiger" on the computer. The 64-bit OS takes full advantage of

G-Raid2 500GB RAID 0 Array

capacity external RAID that features 2 7200 rpm drives striped together in a hardware RAID 0 configuration and an interface that allows it to be connected via FireWire-800, FireWire-400 or USB 2.0. The G-Raid2 500 GB 2-Disk Triple Interface External Hard Drive Array from G-Technology is a high-

simultaneously making it an ideal solution for anything for video editing. The drive will also perform perfectly in high-resolution imaging, data backup or general storage applications. The array delivers transfer rates fast enough to play back multiple streams of high-definition video The drive is housed in a durable titanium external casing that features a small and quiet fan for cooling.

Final Cut Pro HD Application Keyboard with Color Keys

the shortcut commands and icon enhancements for Final Cut Pro laser etched onto the keyboard The Final Cut Pro HD Application Keyboard with Color Keys by World-Tech is a USB keyboard with all of

other USB devices. This keyboard also functions as a standard keyboard for your other software applications. There is also a quick reference card with descriptions of etched icons for your convenience Timeline, Tools, Markers and miscellaneous. The two built-in USB ports are available for the mouse or The color-coded keycaps help you locate important command categories, including Navigation, Editing,

oftware

Final Cut Studio 5.1

DVD Studio Pro 4. This suite is an excellent solution for professional-level editing on the Macintosh capability, with the real-time design engine of Motion 2 for stunning motion graphics, the flexible audio creation and control tools of Soundtrack Pro and the sophisticated SD and HD DVD authoring features of Final Cut Studio 5.1 is a complete video editing suite solution for your Macintosh computer. Final Cut Studio combines the industry-standard Final Cut Pro 5, which includes powerful SD, DV and HD editing

noddn

3-Year AppleCare

repair coverage for your Mac Pro, web-based resources and diagnostic tools. years of both telephone support and service coverage. This provides you with expert assistance, global The 3-Year AppleCare from Apple gives you peace of mind by extending your coverage for three (3)

B&H Support

with the skilled professionals who built, configured and tested your system. warranty, which provides you with the needed support in an unfortunate event and gets you in touch You can rest easy knowing that the entire system is covered for 1 year with B&H Technical Support and

Site Map, Company Profile, Online Awards, Career opportunities, Privacy & Security, California privacy rights

User Agreement & Disclaimer

Prices. specifications. and images are subject to change without notice. Not responsible for typographical or illustrative errors. Manufacturer rebates, terms, conditions, and expiration dates are subject to manufacturers printed forms.

© 2000-2007 B & H Foto & Electronics Corp.



800.606.6969 / 212.444.6615 The Professional's Source

Login/Register | My Account | Track Order | Help Center | Live Help | Wish List

All Products

Ħ

Items: (0) Total: \$0.00	쥬	Equipmer CSed	Video Professiona	Video Consumer	Underwater Equipment	Projection & Viewing	Portable Entertainment	Lighting & Studio
Home Entertainment	Film, Tapes & Media	Digital Photography	Darkroom Equipment	Computers & Solutions	Cameras & C Photo Gear	Tutorials P	Binoculars & Scopes	Audio Professional

«Turnkey Systems «Turnkey Solutions & Add-Ons « Mac Based Turnkey Systems Home « Professional Video « Post Production « Computer Video « Mac Based Solutions » Video Editing « Options & Accessories



Help Center:

Contact Us

Return & Exchange

Sales Tax

Hours of Operation

More Help Info...

Federal Customers

Resources:

Upcoming Events

Catalogs & SourceBooks

The N.Y. Super Store

Product Resources

1


B&H Newsletter

Affiliate Program

Gift Cards

Open Box Specials

Rebates & Promotions



] enlarge

write a review



View List

5100 Series CPU, 5GB (2x512MB, 4x1GB) RAM, 1TB (2x500GB) SATA Hard Drive, 500GB External RAID B&H Photo Final Cut Pro Studio/Customized Mac Pro Turnkey System - 3.0Hz Dual Intel Dual-Core Xeon 2.0+EDR, Mac OS X 10.4 Tiger, 3-Year AppleCare XT 512MB Graphics, Airport Extreme, Bluetooth 0, 16x Dual-Layer SuperDrive, ATI Radeon X1900

B&H# APFCSMP4

B&H Kit

Price:

\$ 7,499.95

Calculate Shipping:

Availability:

Requires Installation

Important Notice!

This item requires custom installation, Please allow 5-7 days ADDITIONAL for delivery. You will be

Quantity 1

charged upon placing your order.

M Add to Cart

Add to Wishlist

BIBIIIMeLater View Disclosures No Payments for 6 Months!

Features

Accessories

Specifications *

Item Includes

→ Video Specs General Computer

Connectors

-- Input/Output

Sign up for B&H news and special offers

-> General

Enter Email Address

Register Now

Brasil

Host Application

Section General Computer

Processor

Memory

WHACKER SAFE TESTED DAILY 29-OCT

Graphics Display

Final Cut Studio 5.1

2x 3.0 GHz Dual-Core Intel Xeon 5100 Series

Slots: 8x FB-DIMM Slots Type: 667 MHz PC2-5300 DDR2 ECC FB-DIMM Installed: 5 GB (2x512 MB, 4x1 GB) RAM Capacity: 16 GB Configuration: 256 MB, 512 MB, 1 GB or 2 GB ECC FB-DIMMs; Memory should be installed as 4 or more matching chips to take full advantage of the 256-bit wide memory architecture

Interface: Double-wide 16-lane PCI Express graphics slot Installed: ATI Radeon X1900 XT with 512 MB of GDDR3 SDRAM, 2x Dual-

Link DVI Ports

Supported Resolutions

Dual-Link Digital: 2560 x 1600

Analog: 2048 x 1536

video mirroring modes Dual Display Support: Dual-display support for extended desktop and

Fixed Bays: 4x Independent 3 Gb/s Serial ATA cable-free, direct attach hard drive bays; 4x internal hard drive carriers included

Hard Drive

Hot-Swappable Bays: None

Installed: 2x 500 GB 7200 rpm with 8 MB Buffer

Supported: 4x SATA Hard Drives

Type: Serial ATA, supports up to 300 MB/sec data throughput per hard

External Storage

1x 500 GB Triple Interface G-Raid2 RAID 0 2-Disk Array

16x SuperDrive with double-layer support

Optical Drive

CD: 32x Reads

DVD: 16x

Writes

291

CD-RW: 24x CD-R: 24x

DVD+R DL: 6x DVD-R: 16x

3x open full-length PCI Express expansion slots Configurable bandwidth that mechanically supports 16-lane cards 300 Watts combined max for all PCI Express slots

PCI Expansion

Video Specs

Video System NTSC, PAL

Video Formats DV, DVCAM, DVCPRO, DVCPRO50, DVCPRO HD

Audio Formats 8-96 kHz at 8-24 bits

Input/Output Connectors

Ports

2x FireWire-800 (1x Front, 1x Back)

5x USB 2.0 (2x Front, 3x Back) 2x FireWire-400 (1x Front, 1x Back)

2x USB 1.1 (2x Keyboard)

Display

1x Single-Link DVI

1x Dual-Link DVI

1x DVI to VGA Adapter Included

Audio

1x Built-In Speaker

1x 1/8" (3.5mm) Headphone (1x Front) 1x 1/8" (3.5mm) Line-Out (1x Back) 1x 1/8" (3.5mm) Line-In (1x Back)

1x Toslink Optical Input (1x Back)

1x Toslink Optical Output (1x Back)

DV: 2x via FireWire-400

Video

Network Storage

4x SATA Drives Supported (2x Installed, 2x Available)

support for jumbo frames 2x independent 10/100/1000BASE-T Ethernet (RJ-45) interfaces with

Wi-Fi: Airport Extreme 802.11b/g

Bluetooth: 2.0+EDR

General

Operating System

Mac OS X v10.4 Tiger

Electrical Requirements Meets ENERGY STAR requirements AC: 100-120 VAC or 200-240 VAC Mac Pro

Frequency: 50-60 Hz, single phase

Current: 12A (low-voltage range), 6A (high-voltage range)

G-Raid2

AC: 100-240 VAC

Mac Pro: 8.1 x 20.1 x 18.7" (20.6 x 51.1 x 47.5 cm) G-Raid2: 5.125 x 2.875 x 9.25" (13.0 x 7.3 x 23.5 cm)

Dimensions (WxHxD)

Mac Pro: 42.4 lb (19.2 kg) G-Raid2: 3.85 lb (1.75 kg)

Site Map, Company Profile, Online Awards, Career opportunities, Privacy & Security, California privacy rights

User Agreement & Disclaimer

Prices, specifications, and images are subject to change without notice. Not responsible for typographical or illustrative errors. Manufacturer rebates, terms, conditions, and expiration dates are subject to manufacturers printed forms.

© 2000-2007 B & H Foto & Electronics Corp.



800.606.6969 / 212.444.6615 he Professional's Source

Login/Register | My Account | Track Order | Help Center | Live Help | Wish List

Search

All Products

Projection of the second	4	Video	imer .	Video Professional	Video Professional
Books & Cameras & Tutorials Photo Gear	Solution	Computers & Solutions	puters & Darkroom tions Equipment		& Darkroom Equipment

«Turnkey Systems «Turnkey Solutions & Add-Ons « Mac Based Turnkey Systems Home « Professional Video « Post Production « Computer Video « Mac Based Solutions « Video Editing « Options & Accessories

	3 3
1	70
	120000
	30
	¥
	20

Help Center:

Contact Us

Return & Exchange

Sales Tax

Hours of Operation

More Help Info...

Federal Customers

Resources:

Upcoming Events

SourceBooks Catalogs &

The N.Y. Super Store

Product Resources

1

B&H Newsletter

Affiliate Program

Gift Cards

Accessories

Features

Specifications

Item Includes *

Open Box Specials

Rebates & Promotions



] enlarge

write a review



View List

5100 Series CPU, 5GB (2x512MB, 4x1GB) RAM, 1TB (2x500GB) SATA Hard Drive, 500GB External RAID B&H Photo Final Cut Pro Studio/Customized Mac Pro Turnkey System - 3.0Hz Dual Intel Dual-Core Xeon 2.0+EDR, Mac OS X 10.4 Tiger, 3-Year AppleCare 16x Dual-Layer SuperDrive, ATI Radeon X1900 XT 512MB Graphics, Airport Extreme, Bluetooth

B&H# APFCSMP4

B&H Kit

\$ 7,499.95

Price:

Calculate Shipping:

Availability:

Requires Installation

This item requires custom installation, Please allow 5-7 days ADDITIONAL for delivery. You will be Important Notice!

Quantity 1

charged upon placing your order.

Add to Cart

Add to Wishlist

BBIIMeLater View Disclosures on purchases over \$750 with No Payments for 6 Months!


Apple - Customized Mac Pro Desktop Computer Workstation 3.0 GHz

4 x General Brand - 1GB PC2-5300 ECC DDR2 FB-DIMM SDRAM for Desktop

Hitachi - 500GB 7K500 Serial ATA Internal Hard Drive

Sign up for B&H news and special offers





- Apple Final Cut Studio 2 Production Suite for Mac
- Class On Demand Complete Training for Final Cut Pro 5 DVD
- Class On Demand Mac OS X Training CD
- Apple 3-Year AppleCare for Mac Pro and PowerMac
- G-Technology G-Raid2 500GB 2-Disk Triple Interface External Hard Drive Array
- Bella Pro Series Keyboard 3.0 for Final Cut Pro USB
- Install2 In-house Computer Software and Additional Memory Installation and Testing
- One Year Free Technical Support



Site Map, Company Profile, Online Awards, Career opportunities, Privacy & Security, California privacy rights

User Agreement & Disclaimer

Prices, specifications, and images are subject to change without notice. Not responsible for typographical or illustrative errors. Manufacturer rebates, terms, conditions, and expiration dates are subject to manufacturers printed forms.

© 2000-2007 B & H Foto & Electronics Corp.



Date: 10/31/2007

To: Jennifer Long/NSU Phone: 318-357-6482

From: Scott Albarado (scotta@creativepres.com)

Re: Quote for Adding 2nd LCD Monitor to Kyser #106

<u>Qty</u>	<u>Description</u>	Line#	<u>*U</u>	nit Price	*Total Price
	State Contract #406245				
1	Creative Presentations - CPI-32LCDM - 32" Diagonal High Resolution LCD Display Monitor, 16:9 Aspect Ratio, input terminals: Analog RGB 15-Pin, DVI, RS-232 Control. Includes power cable and remote control unit.	02019	\$	1,200.00	\$1,200.00
1	Creative Presentations - CPI-Mount4 - Mount for display device	03166	\$	320.00	\$320.00
1	Miscellaneous Peripherals Include: 1 x 2 VGA Splitter, All Cabling needed, Blink I/R Emitter & any other miscellaneous items needed	03166	\$	452.00	\$452.00
13	Professional Services(Installation & Programming Updates)	99777	\$	90.00	\$1,170.00
	Total				\$3,142.00

3639 Ambassador Caffery Pkwy, Suite 402, Lafayette, LA 70503 Phone (337) 406-0480 Toll Free (877) 406-0480 Fax (337) 406-0760 Corporate Office Phone (800) 4442480 Fax (504) 454-9535